

Product	Product Description
Cisco Wireless Lan Products-	
Cisco Aironet Accessories	
AIR-ACC245LA-R	2.4 and 5 GHz Lightning Arrestor, RP-TNC Connector
AIR-ACC2537-060	60 in (1.5m) RP-TNC Ant. Cable w/Mounting Bracket
AIR-ACC2538	RP-TNC Connector with Mounting Bracket
AIR-ACC2662	Antenna Mount for use with ANT1949
AIR-CAB005LL-R	5 ft Low Loss RF cable w/RP-TNC connectors
Cisco Aironet Antenna	
AIR-ANT2506	2.4 GHz, 5.2 dBi Mast Mount Omni Ant w/RP-TNC Connector
AIR-ANT4941	2.4 GHz,2.2 dBi Dipole Antenna w/ RP-TNC Connect. Qty. 1
Cisco Aironet Power	
AIR-PWRINJ3=	Power Injector for 1100, 1130AG, 1200 1230AG, 1240AG Series
AIR-PWRINJ-FIB=	Power Injector Media Converter for 1100, 1130AG, 1200,1230AG
AIR-PWR-A=	Pwr Sply In:100-240VAC Out:48VDC 380mA-1100,1130AG,1200,1300
AIR-PWRINJ-1000AF=	802.3af Power Injector for 1000 Series
1310 Series Bridges	
AIR-BR1310G-E-K9-R	Aironet 1310 Outdoor AP/BR w/RP-TNC Connectors, ETSI Config
AIR-ACCWAMK1300=	Aironet 1300 Wall Mount Kit
1200 Series Access Point-	
AIR-AP1231G-E-K9	802.11g IOS AP w/Avail CBus Slot, ETSI Cnfg
AIR-AP1242AG-E-K9	802.11a/g Non-modular IOS AP; RP-TNC; ETSI Cnfg
1200 Series Access Point Accessory-	
AIR-CONCAB1200=	Console Cable for 1130AG, 1200, 1230AG Platform
1200 Series Access Point Radio Modules-	
AIR-MP21G-E-K9	802.11g Configurable Radio Module for AP1200/AP1100, ETSI Cn
1100 Series Access Points-	
AIR-AP1121G-E-K9	802.11g AP, Single MPC1 Radio, Int Ant, ETSI Cnfg,
AIR-AP1131AG-E-K9	802.11a, .11g AP, Int Radios, Ants, ETSI Cnfg
Cisco Aironet Cables	
AIR-CAB020LL-R	20 ft LOW LOSS CABLE ASSEMBLY W/RP-TNC CONNECTORS
AIR-CAB050LL-R	50 ft. LOW LOSS CABLE ASSEMBLY W/RP-TNC CONNECTORS
AIR-CAB100ULL-R	100 ft. ULTRA LOW LOSS CABLE ASSEMBLY W/RP-TNC CONNECTORS
AIR-CAB150ULL-R	150 ft. ULTRA LOW LOSS CABLE ASSEMBLY W/RP-TNC CONNECTORS
AIR-CAB005LL-R	5 ft Low Loss RF cable w/RP-TNC connectors
WLAN Controller-	
AIR-WLC2106-K9	2100 Series WLAN Controller for up to 6 Lightweight APs
AIR-WLC4402-12-K9	4400 Series WLAN Controller for up to 12 Lightweight APs
AIR-WLC4402-25-K9	4400 Series WLAN Controller for up to 25 Lightweight APs
AIR-WLC4402-50-K9	4400 Series WLAN Controller for up to 50 Lightweight APs
AIR-WLC4404-100-K9	4400 Series WLAN Controller for up to 100 Lightweight APs
NM-AIR-WLC6-K9=	WLAN controller NM for 28/38xx ISR
WLAN Controller Power-	
AIR-PWR-4400-AC=	4400 Series WLAN Controller AC Power Supply (redundant)
WLAN Management Software-	
AIR-WCS-LL-1.0-K9	Cisco WCS w/ Location v3.0 up to 50 Lightweight APs, Linux
AIR-WCS-WL-1.0-K9	Cisco WCS w/Location v3.0 up to 50 Lightweight AP W2K/2003
AIR-WCS-LB-1.0-K9	Cisco WCS Base v3.0 up to 50 Lightweight APs, Linux RedHat
AIR-WCS-LL-UG-K9	Cisco WCS Base to Location System Upgrade, Linux
AIR-WCS-WB-1.0-K9	Cisco WCS Base v3.0 up to 50 Lightweight AP Win2K/2003Server
AIR-WCS-WL-UG-K9	Cisco WCS Base to Location System UG, Windows
Cisco 800 Series	
Cisco 800 Series Memory	
MEM800-4D=	CISCO 800 series 4MB DRAM DIMM

	MEM800-8D=	CISCO 800 series 8MB DRAM DIMM
	MEM800-8F=	CISCO series 8MB FLASH MINI-CARD
Cisco 800 Series Accessories		
	PWR-800-WW1=	Cisco 800 Universal, External AC Power Supply Spare
Cisco 830 Series Options & Spares-		
	MEM830-16D=	Cisco 830 Series 16MB SDRAM Spare
	MEM830-16F=	Cisco 830 Series 16MB Flash spare
Cisco 850 Series Products-		
	CISCO851-K9	Ethernet SOHO Security Router
	CISCO851W-G-E-K9	Dual E Security Router with 802.11g ETSI Compliant
	CISCO857-K9	ADSL SOHO Security Router
	CISCO857W-G-E-K9	ADSL SOHO Security Router with 802.11g
Cisco 870 Series Products-		
	CISCO871-K9	Dual Ethernet Security Router
	CISCO871-SEC-K9	Cisco 871 Security Bundle with Advanced IP Services
	CISCO871W-G-E-K9	Dual E Security Router with 802.11g ETSI Compliant
	CISCO876-K9	ADSLoISDN Security Router
	CISCO876W-G-E-K9	ADSLoISDN Security Router w/wireless 802.11g ETSI compliant
	CISCO876-SEC-K9	Cisco 876 Security Bundle with Advanced IP Services
	CISCO876-SEC-I-K9	Cisco 876 Security Bundle with Advanced Enterprise features
	CISCO877-K9	ADSL Security Router
	CISCO877-SEC-K9	Cisco 877 Security Bundle with Advanced IP Services
	CISCO877W-G-E-K9	ADSL Security Router with wireless 802.11g ETSI compliant
	CISCO878-K9	G.SHDSL Security Router
	CISCO878-SEC-K9	Cisco 878 Security Bundle with Plus Feature Set
	CISCO878W-G-E-K9	G.SHDSL Security Router with wireless 802.11g ETSI compliant
	MEM870-64D=	Cisco 870 Series 64MB SDRAM Spare
	MEM870-128D=	Cisco 870 Series 128MB DRAM Spare
	MEM870-8F=	Cisco 870 Series 8MB Flash spare
	MEM870-16F=	Cisco 830 Series 16MB Flash spare
	MEM870-32F=	Cisco 830 Series 32MB Flash spare
Cisco 1600 Series		
Cisco 1600 Series WAN Interface Cards (WICs)		
	WIC-1T=	1-Port Serial WAN Interface Card
	WIC-1B-S/T=	1-Port ISDN WAN Interface Card(dial and leased line)
	WIC-1DSU-56K4=	1-Port 4-Wire 56Kbps DSU/CSU WAN Interface Card
Cisco 1600 Series Memory		
	MEM1600-4D=	Cisco 1600 4MB DRAM SIMM
	MEM1600-8D=	Cisco 1600 8MB DRAM SIMM
	MEM1600-16D=	Cisco 1600 16MB DRAM SIMM
	MEM1600-4FC=	Cisco 1600 4MB Flash Card
	MEM1600-8FC=	Cisco 1600 8MB Flash Card
	MEM1600-12FC=	Cisco 1600 12MB Flash Card
	MEM1600-16FC=	Cisco 1600 Series 16MB Flash Card
Cisco 1600 Series Accessories		
	CAB-1600-CON=	Cisco 1600 Console Cable
	CAB-DSU-RJ45=	Blue Color Cable for DSU/CSU, RJ-45, 6 feet
	CAB-S/T-RJ45=	Orange Color Cable for ISDN BRI S/T, RJ-45, 6 feet
	CAB-U-RJ45=	Red Color Cable for ISDN BRI U, RJ-45, 6 feet
	CAB-ETH-S-RJ45=	Yellow Cable for Ethernet, Straight-through, RJ-45, 6 feet
	CAB-V35MT=	V.35 Cable, DTE, Male, 10 Feet
	CAB-V35FC=	V.35 Cable, DCE, Female, 10 Feet
	CAB-232MT=	RS-232 Cable, DTE, Male, 10 Feet
	CAB-232FC=	RS-232 Cable, DCE, Female, 10 Feet
	CAB-449MT=	RS-449 Cable, DTE, Male, 10 Feet
	CAB-449FC=	RS-449 Cable, DCE, Female, 10 Feet

	CAB-X21MT=	X.21 Cable, DTE, Male, 10 Feet
	CAB-X21FC=	X.21 Cable, DCE, Female, 10 Feet
	CAB-530MT=	Male DTE RS-530 Cable, 10 foot
Cisco 1700 Series		
Cisco 1700 Series Modules		
	PVDM-256K-4=	4-Channel Packet Voice/Fax DSP Module
	PVDM-8=	8-Channel Packet Voice/Fax DSP Module
	PVDM-256K-8=	8-Channel Packet Voice/Fax DSP Module
	PVDM-256K-12=	12-Channel Packet Voice/Fax DSP Module
	MOD1700-VPN=	Cisco 1700 Series VPN Module
	PVDM2-8=	8-Channel Packet Voice/Fax DSP Module
	PVDM2-16=	16-Channel Packet Voice/Fax DSP Module
	PVDM2-32=	32-Channel Packet Voice/Fax DSP Module
	PVDM2-48=	48-Channel Packet Voice/Fax DSP Module
	PVDM2-64=	64-Channel Packet Voice/Fax DSP Module
Cisco 1700 Series Software		
	CD17-AESK9=	CISCO 1700 ADVANCED ENTERPRISE SERVICES Feature Pack
	CD17-AISK9=	CISCO 1700 ADVANCED IP SERVICES Feature Pack
	CD17-ASK9=	CISCO 1700 ADVANCED SECURITY Feature Pack
	CD17-C=	CISCO 1700 IP Feature Pack
	CD17-CP=	CISCO 1700 IP PLUS Feature Pack
	CD17-C7=	CISCO 1700 IP/ADSL Feature Pack
	CD17-C7K9=	CISCO 1700 IP/ADSL PLUS IPSEC 3DES Feature Pack
	CD17-C7P=	CISCO 1700 IP/ADSL PLUS Feature Pack
	CD17-C7VP=	CISCO 1700 IP/ADSL VOICE PLUS Feature Pack
	CD17-C7V8P=	Cisco 1700 IOS IP/ADSL/VOX PLUS Feature Pack
	CD17-EB=	CISCO 1700 ENTERPRISE BASE Feature Pack
	CD17-ESK9=	CISCO 1700 ENTERPRISE SERVICES Feature Pack
	CD17-IPB=	CISCO 1700 IP BASE Feature Pack
	CD17-IPV=	CISCO 1700 IP VOICE Feature Pack
	CD17-Q=	CISCO 1700 IP/IPX/IBM/AT Feature Pack
	CD17-SPSK9=	CISCO 1700 SP SERVICES Feature Pack
Cisco 1700 Series Memory Options		
	MEM1700-8MFC=	Cisco 1700 8MB Mini-Flash Card
	MEM1700-16MFC=	Cisco 1700 16MB Mini-Flash Card
	MEM1700-16MFS=	Cisco 1760 Only: 16MB Flash SIMM
	MEM1700-8D=	Cisco 1700 8MB DRAM DIMM
	MEM1700-16D=	Cisco 1700 16MB DRAM DIMM
	MEM1700-32D=	Cisco 1700 32MB DRAM DIMM
	MEM1700-64D=	Cisco 1700 64MB DRAM DIMM
Cisco 1700 Multiflex Voice / WAN interface Cards-		
	VWIC2-1MFT-T1/E1=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
	VWIC2-2MFT-T1/E1=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
	VWIC2-1MFT-G703=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
	VWIC2-2MFT-G703=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
Cisco 1700 ECAN Module for VWIC2-MFT Cards-		
	EC-MFT-32=	32-Channel Multiflex Trunk Dedicated ECAN Module
Cisco 1700 Series WAN Interface Cards (WICs)		
	WIC-1B-S/T-V3=	1-Port ISDN WAN Interface Card (dial and leased line)
	WIC-1T=	1-Port Serial WAN Interface Card
	WIC-2T=	2-Port Serial WAN Interface Card spare
	WIC-2A/S=	2-Port Async/Sync Serial WAN Interface Card spare
	WIC-1B-S/T=	1-Port ISDN WAN Interface Card(dial and leased line)
	WIC-1DSU-56K4=	1-Port 4-Wire 56Kbps DSU/CSU WAN Interface Card
	WIC-1DSU-T1-V2=	1-Port T1/Fractional T1 DSU/CSU WAN Interface Card: Ver. 2
	WIC-1ADSL=	1-port ADSL WAN Interface Card

	WIC-1ADSL-I-DG=	1-port ADSLoISDN Wan Interface Card
	WIC-1ENET=	Single-Port Ethernet WAN Interface Card
	WIC-1SHDSL-V3=	One-port G.shdsl WIC with 4-wire support
	WIC-2AM=	Two-port Analog Modem WAN Interface Card
	WIC-4ESW=	4-port Ethernet Switch WIC
	WIC-1ADSL-DG=	1-port ADSLoPOTS WIC w/Dying Gasp
	VVIC-1MFT-G703=	1-Port RJ-48 Multiflex Trunk - G.703
Cisco 1700 Series Accessories		
	CAB-DSU-RJ45=	Blue Color Cable for DSU/CSU, RJ-45, 6 feet
	CAB-S/T-RJ45=	Orange Color Cable for ISDN BRI S/T, RJ-45, 6 feet
	CAB-U-RJ45=	Red Color Cable for ISDN BRI U, RJ-45, 6 feet
	CAB-ETH-S-RJ45=	Yellow Cable for Ethernet, Straight-through, RJ-45, 6 feet
	PWR-1700-VW1=	Cisco 1700 AC Power Supply - WORLD-WIDE
	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet
	CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet
	CAB-SS-232MT=	RS-232 Cable, DTE Male to Smart Serial, 10 Feet
	CAB-SS-232FC=	RS-232 Cable, DCE Female to Smart Serial, 10 Feet
	CAB-SS-449MT=	RS-449 Cable, DTE Male to Smart Serial, 10 Feet
	CAB-SS-449FC=	RS-449 Cable, DCE Female to Smart Serial, 10 Feet
	CAB-SS-X21MT=	X.21 Cable, DTE Male to Smart Serial, 10 Feet
	CAB-SS-X21FC=	X.21 Cable, DCE Female to Smart Serial, 10 Feet
	CAB-SS-530MT=	RS-530 Cable, DTE Male to Smart Serial, 10 Feet
	CAB-SS-530AMT=	RS-530A Cable, DTE Male to Smart Serial, 10 Feet
	PVDM-256K-16HD=	16-Channel Packet Voice/Fax DSP Module for 1700
	PVDM-256K-20HD=	20-Channel Packet Voice/Fax DSP Module for 1700
	ACS-1700=	Accessory Kit for Cisco 1700 Series (not 1760)
	ACS-1760=	Accessory Kit for Cisco 1760
Cisco 1800 Series		
Cisco 1800 Series (Modular) Integrated Services Routers -		
	CISCO1801/K9	ADSL/POTS Router with Firewall/IDS and IPSEC 3DES
	CISCO1803/K9	G.SHDSL Router with Firewall/IDS and IPSEC
	CISCO1811/K9	Dual Ethernet Security Router with V.92 Modem Backup
	CISCO1812/K9	Dual Ethernet Security Router with ISDN S/T Backup
	CISCO1841	Modular Router w/2xFE, 2 WAN slots, 32 FL/128 DR
	CISCO1841-T1	1841 bundle w/WIC-1DSU-T1-V2, IP Base, 32FL/128DR
	CISCO1803W-AG-A/K9	G.SHDSL Router with 802.11a+g FCC Compliant and Security
	CISCO1811W-AG-A/K9	Security Router with 802.11a+g FCC Compliant and Analog B/U
	ACS-1800-RM-19=	19 inch Rack Mount Kit for Cisco 180X / 181X
Cisco 1800 Series (Modular) Security Bundles -		
	CISCO1841-SEC/K9	1841 Security Bundle, Adv. Security, 64FL/256DR
	CISCO1841-HSEC/K9	1841 Security bundle w/AIM-VPN, Adv. IP Svcs, 64FL/256DR
	CISCO1841-T1SEC/K9	1841 Security Bundle w/ WIC-1DSU-T1-V2, Adv. Sec., 64FL, 256DR
	CISCO1811W-AG-A/K9	Security Router with 802.11a+g FCC Compliant and Analog B/U
Cisco 1800 Series (Modular) Broadband Bundles -		
	CISCO1841-ADSL	1841 ADSLoPOTS Bdle, IP Broadband, 32FL/128DR
	CISCO1841-ADSL-DG	1841 ADSLoPOTS w/dying gasp Bdle, IP Broadband, 32FL/128DR
	CISCO1841-ADSLI	1841 ADSLoISDN Bdle, IP Broadband, 32FL/128DR
	CISCO1841-SHDSL-V3	1841 bundle, WIC-1SHDSL-V3, IPBB, 32F/128D
Cisco 1800 Series (Modular) Software CD Feature Packs -		
	CD18-AESK9=	CISCO 1841 ADVANCED ENTERPRISE SERVICES Feature Pack
	CD18-AISK9=	CISCO 1841 ADVANCED IP SERVICES Feature Pack
	CD18-ASK9=	CISCO 1841 ADVANCED SECURITY Feature Pack
	CD18-BB=	CISCO 1841 IP Broadband Feature Pack
	CD18-EB=	CISCO 1841 ENTERPRISE BASE Feature Pack
	CD18-ESK9=	CISCO 1841 ENTERPRISE SERVICES Feature Pack
	CD18-IPB=	CISCO 1841 IP BASE Feature Pack

	CD18-SPSK9=	CISCO 1841 SP SERVICES Feature Pack
Cisco 1800 Series WAN Interface Cards-		
	WIC-1B-S/T-V3=	1-Port ISDN WAN Interface Card (dial and leased line)
	WIC-1SHDSL-V3=	One-port G.shdsl WIC with 4-wire support
Cisco 1800 Series High Speed WAN Interface Cards-		
	HWIC-AP-G-A=	AP HWIC w 2.4 Ghz Radio for 802.11 b/g Americas
	HWIC-AP-G-E=	AP HWIC w 2.4 Ghz Radio for 802.11 b/g Europe
	HWIC-AP-AG-A=	AP HWIC, 2 radios(2.4/5Ghz Radios 802.11 a/b/g) Americas
	HWIC-8A=	8-Port Async HWIC
	HWIC-8A/S-232=	8-Port Async/Sync Serial HWIC, EIA-232
	HWIC-4A/S=	4-Port Async/Sync Serial HWIC
Cisco 1800 Multiflex Voice / WAN interface Cards-		
	VVIC2-1MFT-T1/E1=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
	VVIC2-2MFT-T1/E1=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
	VVIC2-1MFT-G703=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
	VVIC2-2MFT-G703=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
Cisco 1800 Series Spares and Accessories -		
	ILPM-4=	4 port 802.3af capable Inline power module for HWIC-4ESW
	ILPM-8=	8 port 802.3af capable inline power module for HWIC-D-9ESW
	MEMUSB-64FT=	64MB USB Flash Token for Cisco 1800/2800/3800 series
	MEMUSB-128FT=	128MB USB Flash Token for Cisco 1800/2800/3800 series
	MEMUSB-256FT=	256MB USB Flash Token for Cisco 1800/2800/3800 series
	ACS-1800-RM-19=	19 inch Rack Mount Kit for Cisco 180X / 181X
Cisco 1800 Series Cables -		
	CAB-HD8-KIT=	High Density 8-port Async Cable w/ 8 DB-25 Modem Connectors
	CAB-HD8-ASYNC=	High Density 8-port EIA-232 Async Cable
	CAB-HD4-232MT=	High Density 4-port EIA-232 Cable, Male, DTE
	CAB-HD4-232FC=	High Density 4-port EIA-232 Cable, Female, DCE
Cisco 1800 Series Flash Memory Options -		
	MEM1800-32CF=	32MB Cisco 1800 Compact Flash Memory
	MEM1800-64CF=	64MB Cisco 1800 Compact Flash Memory
	MEM1800-128CF=	128MB Cisco 1800 Compact Flash Memory
Cisco 1800 Series DRAM Memory Options -		
	MEM1841-64D=	64MB SODIMM DRAM for Cisco 1841
	MEM1841-128D=	128MB SODIMM DRAM for the Cisco 1841
	MEM1841-256D=	256MB SODIMM DRAM for the Cisco 1841
Cisco 2500 Series		
Cisco 2500 Series Memory		
	MEM-1X4F=	Optional 4 MB Flash Memory
	MEM-1X8F=	Optional 8 MB Flash Memory
	MEM-1X8D=	Optional 8 MB of DRAM Memory
	MEM-1X16D=	Optional 16 MB of DRAM Memory
Cisco 2600 Series		
Cisco 2600 Series WAN Interface Cards (WICs)		
	WIC-1T=	1-Port Serial WAN Interface Card
	WIC-1DSU-56K4=	1-Port 4-Wire 56Kbps DSU/CSU WAN Interface Card
	WIC-1B-S/T=	1-Port ISDN WAN Interface Card(dial and leased line)
	WIC-1B-S/T-V3=	1-Port ISDN WAN Interface Card (dial and leased line)
	WIC-2T=	2-Port Serial WAN Interface Card spare
	WIC-2A/S=	2-Port Async/Sync Serial WAN Interface Card spare
	WIC-BLANK-PANEL=	Blank WAN Interface Card Panel
	WIC-1SHDSL-V3=	One-port G.shdsl WIC with 4-wire support
	WIC-1AM=	One-port Analog Modem WAN Interface Card
	WIC-2AM=	Two-port Analog Modem WAN Interface Card
	WIC-1ADSL-DG=	1-port ADSLoPOTS WIC w/Dying Gasp
	VVIC-1MFT-G703=	1-Port RJ-48 Multiflex Trunk - G.703

Cisco 2600 ECAN Module for VWIC2-MFT Cards-	
EC-MFT-32=	32-Channel Multiflex Trunk Dedicated ECAN Module
Cisco 2600 Series VIC/Fax Modules	
PVDM-12=	12-Channel Packet Voice/Fax DSP Module
VVIC-1MFT-E1=	1-Port RJ-48 Multiflex Trunk - E1
VVIC-1MFT-G703=	1-Port RJ-48 Multiflex Trunk - G.703
VVIC-1MFT-T1=	1-Port RJ-48 Multiflex Trunk - T1
VVIC-2MFT-T1=	2-Port RJ-48 Multiflex Trunk - T1
VVIC-2MFT-T1-DI=	2-Port RJ-48 Multiflex Trunk - T1 With Drop and Insert
VVIC-2MFT-E1=	2-Port RJ-48 Multiflex Trunk - E1
VVIC-2MFT-E1-DI=	2-Port RJ-48 Multiflex Trunk - E1 With Drop and Insert
VVIC2-1MFT-T1/E1=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
VVIC2-2MFT-T1/E1=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
VVIC2-1MFT-G703=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
VVIC2-2MFT-G703=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
VIC2-2FXS=	Two-port Voice Interface Card - FXS
VIC2-2FXO=	Two-port Voice Interface Card - FXO (Universal)
VIC2-4FXO=	Four-port Voice Interface Card - FXO (Universal)
VIC2-2E/M=	Two-port Voice Interface Card - EandM
VIC2-2BRI-NT/TE=	Two-port Voice Interface Card - BRI (NT and TE)
VIC-2DID=	Two-port DID (Direct Inward Dial) voice/fax interface card
Cisco 2600 Series Modules	
NM-HDV-1T1-24=	Single-Port 24 Channel T1 Voice/Fax Network Module
NM-HDV-1T1-24E=	Single-Port 24 Enhanced Channel T1 Voice/Fax Network Module
NM-HDV-2T1-48=	Dual-Port 48 Channel T1 Voice/Fax Network Module
NM-HDV=	High Density Voice/Fax Network Module (Single VIC Slot)
NM-HDV-1E1-30=	Single-Port 30 Channel E1 Voice/Fax Network Module
NM-HDV-1E1-30E=	Single-Port 30 Enhanced Channel E1 Voice/Fax Network Module
NM-HDV-2E1-60=	Dual-Port 60 Channel E1 Voice/Fax Network Module
NM-16A=	16 port Asynchronous Module
NM-16AM-V2=	16 port Analog Modem Network Module with V.92
NM-32A=	32 port Asynchronous Module
NM-4A/S=	4-Port Async/Sync Serial Network Module
NM-8A/S=	8-Port Async/Sync Serial Network Module
NM-16A/S=	16 port Async / Sync Serial Module
NM-4B-S/T=	4-Port ISDN-BRI Network Module
NM-4B-U=	4-Port ISDN-BRI with NT-1 Network Module
NM-8AM-V2=	8 Port Analog Modem Network Module with v.92
NM-8B-S/T=	8-Port ISDN-BRI Network Module
NM-8B-U=	8-Port ISDN-BRI with NT-1 Network Module
NM-2W=	2 WAN Card Slot Network Module(no LAN)
NM-1CE1T1-PRI=	1-Port Channelized E1/T1/ISDN-PRI Network Module
NM-1E=	1-Port Ethernet Network Module
NM-4E=	4-Port Ethernet Network Module
NM-1ATM-25=	Single port ATM 25 Network Module for 3600 series(spare)
AIM-VPN/BP=	DES/3DES VPN Encryption Module for 2600-Base Performance
AIM-ATM-1T1=	High Performance ATM AIM/T1 Bundle, AIM-ATM w/ VWIC-1MFT-T1
AIM-ATM-1E1=	High Performance ATM AIM/E1 Bundle, AIM-ATM w/ VWIC-1MFT-E1
AIM-ATM=	High Performance ATM Advanced Integration Module
AIM-ATM-4T1=	4 port ATM IMA bundle
AIM-ATM-4E1=	4 port ATM IMA bundle
NM-16ESW=	1 16 port 10/100 EtherSwitch NM
NM-16ESW-1GIG=	1 16 port 10/100 EtherSwitch NM + 1 Gig Port
NM-CE-BP-40G-K9=	Content Engine NM-Basic Perf-40GB
NM-CEM-4SER=	4 Port Serial CEMoIP NM
NM-1T3/E3=	One port T3/E3 network module

	NM-1GE=	1 Port GE Network Module
	DSP-HDA-16=	16-channel DSP module for NM-HDA
	EM-HDA-8FXS=	8-port voice/fax expansion module - FXS
	EM-HDA-4FXO=	4-port voice/fax expansion module - FXO
	NM-HD-1V=	One-slot IP Communications Voice/Fax Network Module
	NM-HD-2V=	Two-slot IP Communications Voice/Fax Network Module
	NM-HD-2VE=	Two-slot IP Communications Enhanced Voice/Fax Network Module
	SF-NM-WMS-1.1=	Microsoft Windows Media Server V4 for NM-CE-BP
	AIM-VOICE-30=	30 Channel T1/E1 Digital Voice module
	AIM-VPN/EPII-PLUS=	DES/3DES/AES VPN Encryption/Compression
	AIM-VPN/HPII-PLUS=	DES/3DES/AES VPN Encryption/Compression
	AIM-VPN/BPII-PLUS=	DES/3DES/AES VPN Encryption/Compression
	NM-HDV2=	IP Communications High-Density Digital Voice Network Module
Cisco 2600 Series Supported Network Modules -		
	NM-CIDS-K9=	Intrusion Detection System Network Module
	NM-1CE1T1-PRI=	1-Port Channelized E1/T1/ISDN-PRI Network Module
	NM-CE-BP-40G-K9=	Content Engine NM-Basic Perf-40GB
Cisco 2600 Series Software		
	CD26XM-IPB=	Cisco 2600XM Ser IOS IP BASE Feature Pack
Cisco 2600 Series Modem Management Technology Licenses		
	MMTL-3600/2600-8=	Modem Management Technology License For 8 Analog Modems
Cisco 2600 Series Memory		
	MEM2600-16D=	16 MB DRAM DIMM for the Cisco 2600 Series
	MEM2600-32D=	32 MB DRAM DIMM for the Cisco 2600 Series
	MEM2600-16FS=	16 MB Flash SIMM for the Cisco 2600 Series
	MEM2600-8U16FS=	8 To 16 MB Flash Upgrade for the Cisco 2600
	MEM2600XM-16FS=	16MB Flash SIMM for the Cisco 2600XM
	MEM2600XM-32D=	32MB DIMM DRAM for the Cisco 2600XM
	MEM2600XM-32FS=	32MB Flash SIMM for the Cisco 2600XM
	MEM2600XM-64D=	64MB DIMM DRAM for the Cisco 2600XM
	MEM2600XM-128DBOT=	128MB DRAM and BOOTROM for 2600XM Series
	MEM2620-32FSBOOT=	32MB FLASH SIMM and BOOTROM for 262x Only
	MEM2650-32FS=	32MB Flash SIMM for the Cisco 265x only
	MEM2650-8U32FS=	8 TO 32MB Flash SIMM Upgrade for the Cisco265x only
	MEM2691-128CF=	128MB Cisco 2691 Compact Flash Memory
	MEM820-16D=	16 MB DRAM memory upgrade 806, 820 series
	MEM2691-32CF=	32MB Cisco 2691 Compact Flash Memory
	MEM2691-64CF=	64MB Cisco 2691 Compact Flash Memory
Cisco 2600 Series Accessories		
	CAB-V35MT=	V.35 Cable, DTE, Male, 10 Feet
	CAB-V35FC=	V.35 Cable, DCE, Female, 10 Feet
	CAB-232MT=	RS-232 Cable, DTE, Male, 10 Feet
	CAB-232FC=	RS-232 Cable, DCE, Female, 10 Feet
	CAB-449MT=	RS-449 Cable, DTE, Male, 10 Feet
	CAB-449FC=	RS-449 Cable, DCE, Female, 10 Feet
	CAB-X21MT=	X.21 Cable, DTE, Male, 10 Feet
	CAB-X21FC=	X.21 Cable, DCE, Female, 10 Feet
	CAB-530MT=	Male DTE RS-530 Cable, 10 foot
	CAB-OCTAL-ASYNC=	8 Lead Octal Cable (68 pin to 8 Male RJ-45s)
	CAB-OCTAL-MODEM=	OCTAL CABLE WITH MALE DB25 CONNECTORS
	CAB-OCTAL-KIT=	8 Lead Octal Cable and 8 Male DB-25 Modem Connectors
	CAB-25AS-MMOD=	Male DB-25 Modem Connector
	CAB-25AS-FDTE=	Female DB-25 Terminal Connector
	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet
	CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet
	CAB-SS-232MT=	RS-232 Cable, DTE Male to Smart Serial, 10 Feet

	CAB-SS-232FC=	RS-232 Cable, DCE Female to Smart Serial, 10 Feet
	CAB-SS-449MT=	RS-449 Cable, DTE Male to Smart Serial, 10 Feet
	CAB-SS-449FC=	RS-449 Cable, DCE Female to Smart Serial, 10 Feet
	CAB-SS-X21MT=	X.21 Cable, DTE Male to Smart Serial, 10 Feet
	CAB-SS-X21FC=	X.21 Cable, DCE Female to Smart Serial, 10 Feet
	CAB-SS-530MT=	RS-530 Cable, DTE Male to Smart Serial, 10 Feet
	CAB-SS-530AMT=	RS-530A Cable, DTE Male to Smart Serial, 10 Feet
	PWR-2600-AC=	Cisco 2600/2600XM AC power supply spare
	PWR-2600-DC=	Cisco 2600/2600XM DC power supply spare
	ACS-2600RPS=	RPS Field Upgrade for the Cisco 2600XM/Classic Models
	ACS-2600RM-19=	19 Inch Rack Mount Kit for the Cisco 2600 series
	ACS-2600RM-24=	24 Inch/23 Inch Rack Mount Kit for the Cisco 2600 Series
	ACS-2600ASYN=	Auxiliary and Console Port Cable Kit for Cisco 2600 Series
	PWR600-AC-RPS-CAB	600W Redundant AC Power System With DC Power Cables
	PWR600-AC-RPS-NCAB	600W Redundant AC Power System W/O DC Power Cables
	CAB-ACR=	Power Cord Argentina, Spare
	CAB-RPSACE=	AC Power Cord Europe For RPS
	BOOT-2600XM-256=	Boot ROM for Cisco 2600XM Series supporting 256MB DRAM
	CAB-RPS-2218=	RPS 22/18 Load Cable
Cisco 2691 Series Modules		
	NM-1FE-FX-V2=	1-Port Fast Ethernet Network Module, FX Only
	NME-16ES-1G-P=	EtherSwitch Service Mod 16 10/100T POE + 1 GE,IP Base
Unity Express for Cisco 2600 Series -		
	AIM-CUE=	Unity Express AIM -price includes 12 mailbox
	SCUE-LIC-50CME=	Unity Express License 50 Voice Mailbox-Auto Attendant-CCME
	SCUE-LIC-25CME=	Unity Express License 25 Voice Mailbox-Auto Attendant-CCME
	SCUE-LIC-100CME=	Unity Express License 100 Voice Mailbox-Auto Attendant-CCME
Cisco 2800 Series Products		
Cisco 2800 Series Integrated Services Router --		
	CISCO2801	2801 w/AC PWR,2FE,4slots(2HWIC),2PVDM,2AIM,IP BASE,64F/128D
	CISCO2801-AC-IP	2801 Router with inline power,2FE,4slots,IP BASE,64F/128D
	CISCO2811	2811 w/ AC PWR,2FE,4HWICs,2PVDMs,1NME,2AIMS,IP BASE,64F/256D
	CISCO2811-AC-IP	2811 w/ AC+POE,2FE,4HWICs,2PVDMs,1NME,2AIMS,IP BASE,64F/256D
	CISCO2811-DC	2811 w/ DC PWR,2FE,4HWICs,2PVDMs,1NME,2AIMS,IP BASE,64F/256D
	CISCO2821	2821 w/ AC PWR,2GE,4HWICs,3PVDM,1NME-X,2AIM,IP BASE,64F/256D
	CISCO2821-AC-IP	2821 w/ AC+POE,2GE,4HWIC,3PVDM,1NME-X,2AIM,IP BASE,64F/256D
	CISCO2821-DC	2821 w/ DC PWR,2GE,4HWIC,3PVDM,1NME-X,2AIM,IP BASE,64F/256D
	CISCO2851	2851 w/ AC PWR,2GE,4HWIC,3PVDM,1NME-XD,2AIM,IP BASE,64F/256D
	CISCO2851-AC-IP	2851 w/ AC+POE,2GE,4HWIC,3PVDM,1NME-XD,2AIM,IP BASE,64F/256D
	CISCO2851-DC	2851 w/ DC PWR,2GE,4HWIC,3PVDM,1NME-XD,2AIM,IP BASE,64F/256D
Cisco 2800 Series Security Bundles --		
	CISCO2801-HSEC/K9	2801 Security Bundle,AIM-VPN/EPII-PLUS,Adv. IP Serv,64F/256D
	CISCO2801-SEC/K9	2801 Security Bundle,Adv Security,64F/256D
	CISCO2811-HSEC/K9	2811 Security Bundle,AIM-VPN-EPII-PLUS,Adv. IP Serv,64F/256D
	CISCO2811-SEC/K9	2811 Security Bundle,Adv Security,64F/256D
	CISCO2821-HSEC/K9	2821 Security Bundle,AIM-VPN-EPII-PLUS,Adv. IP Serv,64F/256D
	CISCO2821-SEC/K9	2821 Security Bundle,Adv Security,64F/256D
	CISCO2851-HSEC/K9	2851 Security Bundle,AIM-VPN-EPII-PLUS,Adv. IP Serv,64F/256D
	CISCO2851-SEC/K9	2851 Security Bundle,Adv Security,64F/256D
Cisco 2800 Series Voice Bundles -		
	CISCO2801-CCME/K9	2801 Voice Bundle w/ PVDM2-8,FL-CCME-24, SP Serv,64F/256D
	CISCO2801-SRST/K9	2801 Voice Bundle w/ PVDM2-8,FL-SRST-24,SP Serv,64F/256D
	CISCO2801-V/K9	2801 Voice Bundle,PVDM2-8,SP Serv,64F/256D
	CISCO2811-CCME/K9	2811 Voice Bundle w/ PVDM2-16,FL-CCME-36,SP Serv,64F/256D
	CISCO2811-SRST/K9	2811 Voice Bundle w/ PVDM2-16,FL-SRST-36,SP Serv,64F/256D
	CISCO2811-V/K9	2811 Voice Bundle,PVDM2-16,SP Serv,64F/256D

	CISCO2821-CCME/K9	2821 Voice Bundle w/ PVDM2-32,FL-CCME-48,SP Serv,64F/256D
	CISCO2821-SRST/K9	2821 Voice Bundle w/ PVDM2-32,FL-SRST-48,SP Serv,64F/256D
	CISCO2821-V/K9	2821 Voice Bundle,PVDM2-32,SP Serv,64F/256D
	CISCO2851-CCME/K9	2851 Voice Bundle w/ PVDM2-48,FL-CCME-96,SP Serv,64F/256D
	CISCO2851-SRST/K9	2851 Voice Bundle w/ PVDM2-48,FL-SRST-96,SP Serv,64F/256D
	CISCO2851-V/K9	2851 Voice Bundle,PVDM2-48,SP Serv,64F/256D
Cisco 2800 Series Secure Voice Bundles -		
	CISCO2801-V3PN/K9	2801 V3PN bdl,AIM-VPN,PVDM2-8,FL-CCME-24,Adv IPServ,64F/256D
	CISCO2811-V3PN/K9	2811 V3PN bdl w/AIM-VPN,PVDM2-16,CCME-36,AdvIPServ,64F/256D
	CISCO2821-V3PN/K9	2821 V3PN bdl w/AIM-VPN,PVDM2-32,CCME-48,AdvIPServ,64F/256D
	CISCO2851-V3PN/K9	2851 V3PN bdl w/AIM-VPN,PVDM2-48,CCME-72,AdvIPServ,64F/256D
	C2811-VSEC-SRST/K9	2811 VSEC Bundle w/PVDM2-16,FL-SRST-36,Adv IP Serv,64F/256D
Cisco 2800 Series Broadband Bundles -		
	CISCO2801-ADSL/K9	2801 DSL Bundle,WIC-1ADSL(ADSLoPOTS),SP Serv,64F/192D
	CISCO2811-ADSL/K9	2811 with WIC-1ADSL (ADSLoPOTS), SP Ser IOS, 64F/256D
	C2801-SHDSL-V3/K9	2801 bundle, WIC-1SHDSL-V3,SP Svcs, 64F/192D
	C2821-VSEC/K9	2821 Voice Security Bundle,PVDM2-32,Adv IP Serv,64F/256D
	C2821-VSEC-SRST/K9	2821 VSEC Bundle w/PVDM2-32,FL-SRST-48,Adv IP Serv,64F/256D
	C2821-VSEC-CCME/K9	2821 VSEC Bundle w/PVDM2-32,FL-CCME-48,Adv IP Serv,64F/256D
	C2851-VSEC-SRST/K9	2851 VSEC Bundle w/PVDM2-48,FL-SRST-96,Adv IP Serv,64F/256D
	C2851-VSEC-CCME/K9	2851 VSEC Bundle w/PVDM2-48,FL-CCME-96,Adv IP Serv,64F/256D
	C2801-VSEC-CCME/K9	2801 VSEC Bundle w/PVDM2-8,FL-CCME-24,Adv IP Serv,64F/256D
	C2811-VSEC-CCME/K9	2811 VSEC Bundle w/PVDM2-16,FL-CCME-36,Adv IP Serv,64F/256D
Cisco 2821 and 2851 Series Extension Voice Modules		
	EVM-HD-8FXS/DID=	High density voice/fax extension module - 8 FXS/DID
Cisco 2851 Series Network Modules -		
	NM-CIDS-K9=	Intrusion Detection System Network Module
	NM-1CE1T1-PRI=	1-Port Channelized E1/T1/ISDN-PRI Network Module
	NM-CE-BP-40G-K9=	Content Engine NM-Basic Perf-40GB
	NME-X-23ES-1G-P=	EtherSwitch Service Mod 23 10/100T POE + 1 GE POE, IP Base
	NME-XD-24ES-1S-P=	EtherSwitch Service Mod 24 10/100T POE + 1SFP+StackWise,SMI
	NME-XD-48ES-2S-P=	EtherSwitch Service Mod 48 10/100T POE + 2SFP,Std Image(SMI)
	NME-16ES-1G-P=	EtherSwitch Service Mod 16 10/100T POE + 1 GE,IP Base
Cisco 2811/2821/2851 Expansion Modules (for EVM & NM-HDA) -		
	EM-4BRI-NT/TE=	4-port voice/fax expansion module - BRI
	EM-HDA-6FXO=	6-port voice/fax expansion module - FXO
	EM-HDA-3FXS/4FXO=	7-port voice/fax expansion module - 3FXS/4FXO
Cisco 2800 Series Multiflex Voice/Fax Interface Cards -		
	VVIC2-1MFT-T1/E1=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
	VVIC2-2MFT-T1/E1=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
	VVIC2-1MFT-G703=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
	VVIC2-2MFT-G703=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
Cisco 2800 ECAN Module for VVIC2-MFT Cards-		
	EC-MFT-32=	32-Channel Multiflex Trunk Dedicated ECAN Module
Cisco 2800 Series High Speed WAN Interface Cards -		
	HWIC-AP-G-A=	AP HWIC w 2.4 Ghz Radio for 802.11 b/g Americas
	HWIC-AP-G-E=	AP HWIC w 2.4 Ghz Radio for 802.11 b/g Europe
	HWIC-AP-AG-A=	AP HWIC, 2 radios(2.4/5Ghz Radios 802.11 a/b/g) Americas
	HWIC-D-9ESW-POE=	9-Port Ethernet Switch HWIC with Power Over Ethernet
	HWIC-D-9ESW=	Nine port 10/100 Ethernet switch interface card
	HWIC-1GE-SFP=	GigE high speed WIC with one SFP slot
	HWIC-4ESW=	Four port 10/100 Ethernet switch interface card
	HWIC-4ESW-POE=	4-Port Ethernet Switch HWIC with Power Over Ethernet
	HWIC-16A=	16-Port Async HWIC
	HWIC-8A=	8-Port Async HWIC
	HWIC-8A/S-232=	8-Port Async/Sync Serial HWIC, EIA-232

	HWIC-4A/S=	4-Port Async/Sync Serial HWIC
	HWIC-4T=	4-Port Serial HWIC
	WIC-1B-S/T-V3=	1-Port ISDN WAN Interface Card (dial and leased line)
Cisco 2800 Series Flash Memory Options -		
	MEM2800-64CF=	64MB CF for the Cisco 2800 Series
	MEM2800-128CF=	128MB CF for the Cisco 2800 Series
	MEM2800-256CF=	256MB CF for the Cisco 2800 Series
Cisco 2801 Series DRAM Memory Options -		
	MEM2801-64D=	64MB SODIMM DRAM for the Cisco 2801
	MEM2801-128D=	128MB SODIMM DRAM for the Cisco 2801
	MEM2801-256D=	256MB SODIMM DRAM for the Cisco 2801
Cisco 2811 Series DRAM Memory Options -		
	MEM2811-256D=	256MB DIMM DDR DRAM for the Cisco 2811
	MEM2811-512D=	512MB DIMM DDR DRAM for the Cisco 2811
Cisco 2821 Series DRAM Memory Options -		
	MEM2821-256D=	256MB DIMM DDR DRAM for the Cisco 2821
	MEM2821-512D=	512MB DIMM DDR DRAM for the Cisco 2821
Cisco 2851 Series DRAM Memory Options -		
	MEM2851-256D=	256MB DIMM DDR DRAM for the Cisco 2851
	MEM2851-512D=	512MB DIMM DDR DRAM for the Cisco 2851
Cisco 2800 Series Options & Spares -		
	PWR-2801-AC=	Cisco 2801 AC power supply
	PWR-2801-AC-IP=	Cisco 2801 AC/IP power supply
	PWR-2811-AC=	Cisco 2811 AC power supply
	PWR-2811-AC-IP=	Cisco 2811 AC/IP power supply
	PWR-2811-DC=	Cisco 2811 DC power supply
	PWR-2821-51-AC=	Cisco 2821/51 AC power supply
	PWR-2821-51-AC-IP=	Cisco 2821/51 AC/IP power supply
	PWR-2821-51-DC=	Cisco 2821/51 DC power supply
	ACS-2801-RM-19=	19 inch Rack Mount Kit for Cisco 2801
	ACS-2811RM-19=	19 inch Rack Mount Kit for Cisco 2811
	ACS-2821-51RM-19=	19 inch Rack Mount Kit for Cisco 2821/51
	ILPM-4=	4 port 802.3af capable Inline power module for HWIC-4ESW
	ILPM-8=	8 port 802.3af capable inline power module for HWIC-D-9ESW
	MEMUSB-128FT=	128MB USB Flash Token for Cisco 1800/2800/3800 series
	MEMUSB-256FT=	256MB USB Flash Token for Cisco 1800/2800/3800 series
Cisco 2800 Series Cables -		
	CAB-RPS-2218=	RPS 22/18 Load Cable
	CAB-HD8-KIT=	High Density 8-port Async Cable w/ 8 DB-25 Modem Connectors
	CAB-HD8-ASYNC=	High Density 8-port EIA-232 Async Cable
	CAB-HD4-232MT=	High Density 4-port EIA-232 Cable, Male, DTE
	CAB-HD4-232FC=	High Density 4-port EIA-232 Cable, Female, DCE
Cisco 2811, 2821, 2851 Software CD Feature Packs -		
	CD28N-AESK9=	CISCO 2800 ADVANCED ENTERPRISE SERVICES Feature Pack
	CD28N-AISK9=	CISCO 2800 ADVANCED IP SERVICES Feature Pack
	CD28N-ASK9=	CISCO 2800 ADVANCED SECURITY Feature Pack
	CD28N-EB=	CISCO 2800 ENTERPRISE BASE Feature Pack
	CD28N-ESK9=	CISCO 2800 ENTERPRISE SERVICES Feature Pack
	CD28N-IPB=	CISCO 2800 IP BASE Feature Pack
	CD28N-IPV=	CISCO 2800 IP Voice Feature Pack
	CD28N-SPSK9=	CISCO 2800 SP SERVICES Feature Pack
Unity Express for Cisco 2800 Series -		
	AIM-CUE=	Unity Express AIM -price includes 12 mailbox
	SCUE-LIC-50CME=	Unity Express License 50 Voice Mailbox-Auto Attendant-CCME
	SCUE-LIC-25CME=	Unity Express License 25 Voice Mailbox-Auto Attendant-CCME
	SCUE-LIC-100CME=	Unity Express License 100 Voice Mailbox-Auto Attendant-CCME

Cisco 3600 Series	
Cisco 3600 WAN Interface Cards (WICs)	
WIC-1T=	1-Port Serial WAN Interface Card
WIC-1B-S/T=	1-Port ISDN WAN Interface Card(dial and leased line)
WIC-1DSU-56K4=	1-Port 4-Wire 56Kbps DSU/CSU WAN Interface Card
WIC-1B-U-V2=	1-Port ISDN BRI NT-1 WIC
WIC-1AM=	One-port Analog Modem WAN Interface Card
WIC-1ADSL-DG=	1-port ADSLoPOTS WIC w/Dying Gasp
WIC-1B-S/T-V3=	1-Port ISDN WAN Interface Card (dial and leased line)
Cisco 3600 ECAN Module for VWIC2-MFT Cards-	
EC-MFT-32=	32-Channel Multiflex Trunk Dedicated ECAN Module
Cisco 3600 Voice Interface Cards (VICs)	
PVDM-12=	12-Channel Packet Voice/Fax DSP Module
VVIC-1MFT-E1=	1-Port RJ-48 Multiflex Trunk - E1
VVIC-1MFT-T1=	1-Port RJ-48 Multiflex Trunk - T1
VVIC-1MFT-G703=	1-Port RJ-48 Multiflex Trunk - G.703
VVIC-2MFT-T1=	2-Port RJ-48 Multiflex Trunk - T1
VVIC-2MFT-T1-DI=	2-Port RJ-48 Multiflex Trunk - T1 With Drop and Insert
VVIC-2MFT-E1=	2-Port RJ-48 Multiflex Trunk - E1
VVIC-2MFT-E1-DI=	2-Port RJ-48 Multiflex Trunk - E1 With Drop and Insert
VVIC2-1MFT-T1/E1=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
VVIC2-2MFT-T1/E1=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
VVIC2-1MFT-G703=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
VVIC2-2MFT-G703=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
VIC2-2FXS=	Two-port Voice Interface Card - FXS
VIC2-2FXO=	Two-port Voice Interface Card - FXO (Universal)
VIC2-4FXO=	Four-port Voice Interface Card - FXO (Universal)
VIC2-2E/M=	Two-port Voice Interface Card - EandM
VIC2-2BRI-NT/TE=	Two-port Voice Interface Card - BRI (NT and TE)
VIC-2DID=	Two-port DID (Direct Inward Dial) voice/fax interface card
Cisco 3660 Series MIX Card for Routers	
MIX-3660-64=	MIX card for Cisco 3660 Series Routers
Cisco 3600 Series Modules	
NM-1A-OC3MM=	One-port ATM OC-3 Multimode NM for 2691,3600, 3725
NM-1A-OC3SMI=	One-port ATM OC-3 Singlemode Inter Reach NM 2691,3600,3725
NM-1E=	1-Port Ethernet Network Module
NM-4E=	4-Port Ethernet Network Module
NM-1HSSI=	Single port HSSI network module
NM-1FE1R2W=	1 10/100 Ethernet 1 4/16 Token-Ring 2 WAN Card Slot NM
NM-1FE2W-V2=	1 10/100 Ethernet with 2 WAN Card Slot Network Module
NM-2FE2W-V2=	2 port 10/100 Ethernet with 2 WAN Card Slot Network Module
NM-2W=	2 WAN Card Slot Network Module(no LAN)
NM-4A/S=	4-Port Async/Sync Serial Network Module
NM-8A/S=	8-Port Async/Sync Serial Network Module
NM-16A/S=	16 port Async / Sync Serial Module
NM-8AM-V2=	8 Port Analog Modem Network Module with v.92
NM-16AM-V2=	16 port Analog Modem Network Module with V.92
NM-4B-S/T=	4-Port ISDN-BRI Network Module
NM-4B-U=	4-Port ISDN-BRI with NT-1 Network Module
NM-8B-S/T=	8-Port ISDN-BRI Network Module
NM-8B-U=	8-Port ISDN-BRI with NT-1 Network Module
NM-4T=	4-Port Sync Serial Network Module
NM-16A=	16 port Asynchronous Module
NM-32A=	32 port Asynchronous Module
NM-6DM=	6 Port Digital Modem Network Module
NM-12DM=	12 Port Digital Modem Network Module

	NM-24DM=	24 Port Digital Modem Network Module
	NM-30DM=	30 Port Digital Modem Network Module
	NM-BLANK-PANEL=	Blank Network Module Panel
	WIC-BLANK-PANEL=	Blank WAN Interface Card Panel
	NM-HDV-1T1-24=	Single-Port 24 Channel T1 Voice/Fax Network Module
	NM-HDV-1T1-24E=	Single-Port 24 Enhanced Channel T1 Voice/Fax Network Module
	NM-HDV-2T1-48=	Dual-Port 48 Channel T1 Voice/Fax Network Module
	NM-HDV=	High Density Voice/Fax Network Module (Single VIC Slot)
	NM-HDV-1E1-30=	Single-Port 30 Channel E1 Voice/Fax Network Module
	NM-HDV-1E1-30E=	Single-Port 30 Enhanced Channel E1 Voice/Fax Network Module
	NM-HDV-2E1-60=	Dual-Port 60 Channel E1 Voice/Fax Network Module
	AIM-VPN/EPII-PLUS=	DES/3DES/AES VPN Encryption/Compression
	AIM-VPN/HP=	DES/3DES VPN Encryption AIM for for 3660/3745 High Perf
	AIM-VPN/HPII-PLUS=	DES/3DES/AES VPN Encryption/Compression
	AIM-VPN/BPII-PLUS=	DES/3DES/AES VPN Encryption/Compression
	AIM-ATM=	High Performance ATM Advanced Integration Module
	DSP-HDA-16=	16-channel DSP module for NM-HDA
	NM-16ESW=	1 16 port 10/100 EtherSwitch NM
	NM-16ESW-1GIG=	1 16 port 10/100 EtherSwitch NM + 1 Gig Port
	NM-16ESW-PWR=	1 16 port 10/100 EtherSwitch NM with prestandard POE
	NM-CE-BP-40G-K9=	Content Engine NM-Basic Perf-40GB
	NM-CEM-4SER=	4 Port Serial CEMoIP NM
	NM-1T3/E3=	One port T3/E3 network module
	NM-1GE=	1 Port GE Network Module
	PPWR-DCARD-16ESW=	1 In-line power daughtercard for 16 port EtherSwitch NM
	PPWR-PS-360W=	Internal/External 360W power supply for ESwitch Line power
	EM-HDA-8FXS=	8-port voice/fax expansion module - FXS
	EM-HDA-4FXO=	4-port voice/fax expansion module - FXO
	NM-HDA-4FXS=	High density analog voice/fax network module with 4 FXS
	NM-1FE-FX-V2=	1-Port Fast Ethernet Network Module, FX Only
	NM-HD-1V=	One-slot IP Communications Voice/Fax Network Module
	NM-HD-2V=	Two-slot IP Communications Voice/Fax Network Module
	NM-HD-2VE=	Two-slot IP Communications Enhanced Voice/Fax Network Module
	SF-NM-WMS-1.1=	Microsoft Windows Media Server V4 for NM-CE-BP
	AIM-VOICE-30=	30 Channel T1/E1 Digital Voice module
Cisco 3700 Series Products		
Cisco 3700 Series Memory Options		
	MEM3725-32CF=	32MB Cisco 3700 Compact Flash Memory
	MEM3725-64CF=	64MB Cisco 3700 Compact Flash Memory
	MEM3725-128CF=	128MB Cisco 3700 Compact Flash Memory
	MEM3725-64D=	64MB DIMM DRAM for the Cisco 3725
	MEM3725-128D=	128MB DIMM DRAM for the Cisco 3725
	MEM3745-32CF=	32MB Cisco 3700 Compact Flash Memory
	MEM3745-64CF=	64MB Cisco 3700 Compact Flash Memory
	MEM3745-128CF=	128MB Cisco 3700 Compact flash Memory
	MEM3745-64D=	64MB SODIMM DRAM for the Cisco 3745
	MEM3745-128D=	128MB SODIMM DRAM spare memory for Cisco 3745
Cisco 3700 Series LMR Feature License		
	FL-LMR=	LMR Feature License (2600XM,2691,2811,2821,2851,3700,3800)
Cisco 3700 Series IOS Telephony Services Feature Licenses		
	FL-SRST-144=	Feat Lic Survivable Remote Site Telephony up to 144 phones
Cisco 3700 Series IOS Upgrades Feature Licenses		
	FL37-AP-APU=	Cisco 3700 Series ENT PLUS to ENT PLUS/H.323 MCM
	FL37-C-U=	Cisco IOS 3700 Series IP to H323 upgrade
	FL37-P=	Cisco IOS 3700 Series PLUS upgrade
	FL37-C-A=	Cisco IOS 3700 Series IP to Enterprise Plus upgrade

Cisco 3725 Software CD Feature Packs	
CD372-IPB=	Cisco 3725 Ser IOS IP BASE Feature Pack
Cisco 3745 Software CD Feature Packs	
CD374-IPB=	Cisco 3745 Ser IOS IP BASE Feature Pack
Cisco 3700 Series Data Compression AIM--	
AIM-VPN/HP=	DES/3DES VPN Encryption AIM for for 3660/3745 High Perf
AIM-VPN/EP-PLUS=	DES/3DES/AES VPN Encryption/Compression
AIM-VPN/HP-PLUS=	DES/3DES/AES VPN Encryption/Compression
AIM-VPN/BP-PLUS=	DES/3DES/AES VPN Encryption/Compression
AIM-VPN/EP=	DES/3DES VPN Encryption Module for 2600/3725 Enhanced Perf
Cisco 3700 Series Network Modules--	
NM-12DM=	12 Port Digital Modem Network Module
NM-1A-OC3MM=	One-port ATM OC-3 Multimode NM for 2691,3600, 3725
NM-1A-OC3SML=	One-port ATM OC-3 Singlemode Inter Reach NM 2691,3600,3725
NM-1FE1R2W=	1 10/100 Ethernet 1 4/16 Token-Ring 2 WAN Card Slot NM
NM-1HSSI=	Single port HSSI network module
NM-1CE1T1-PRI=	1-Port Channelized E1/T1/ISDN-PRI Network Module
NM-24DM=	24 Port Digital Modem Network Module
NM-2FE2W-V2=	2 port 10/100 Ethernet with 2 WAN Card Slot Network Module
NM-2W=	2 WAN Card Slot Network Module(no LAN)
NM-30DM=	30 Port Digital Modem Network Module
NM-4A/S=	4-Port Async/Sync Serial Network Module
NM-4B-S/T=	4-Port ISDN-BRI Network Module
NM-4B-U=	4-Port ISDN-BRI with NT-1 Network Module
NM-4E=	4-Port Ethernet Network Module
NM-4T=	4-Port Sync Serial Network Module
NM-6DM=	6 Port Digital Modem Network Module
NM-8A/S=	8-Port Async/Sync Serial Network Module
NM-16A/S=	16 port Async / Sync Serial Module
NM-8AM-V2=	8 Port Analog Modem Network Module with v.92
NM-8B-S/T=	8-Port ISDN-BRI Network Module
NM-8B-U=	8-Port ISDN-BRI with NT-1 Network Module
NM-BLANK-PANEL=	Blank Network Module Panel
NM-CIDS-K9=	Intrusion Detection System Network Module
NM-HDV-1E1-30=	Single-Port 30 Channel E1 Voice/Fax Network Module
NM-HDV-1E1-30E=	Single-Port 30 Enhanced Channel E1 Voice/Fax Network Module
NM-HDV-1T1-24=	Single-Port 24 Channel T1 Voice/Fax Network Module
NM-HDV-1T1-24E=	Single-Port 24 Enhanced Channel T1 Voice/Fax Network Module
NM-HDV-2E1-60=	Dual-Port 60 Channel E1 Voice/Fax Network Module
NM-HDV-2T1-48=	Dual-Port 48 Channel T1 Voice/Fax Network Module
NM-16ESW=	1 16 port 10/100 EtherSwitch NM
NM-16ESW-1GIG=	1 16 port 10/100 EtherSwitch NM + 1 Gig Port
NM-16ESW-PWR=	1 16 port 10/100 EtherSwitch NM with prestandard POE
NM-16AM-V2=	16 port Analog Modem Network Module with V.92
NM-CE-BP-40G-K9=	Content Engine NM-Basic Perf-40GB
NM-CEM-4SER=	4 Port Serial CEMoIP NM
NM-1T3/E3=	One port T3/E3 network module
NM-1GE=	1 Port GE Network Module
PPWR-DCARD-16ESW=	1 In-line power daughtercard for 16 port EtherSwitch NM
PPWR-PS-360W=	Internal/External 360W power supply for ESwitch Line power
DSP-HDA-16=	16-channel DSP module for NM-HDA
EM-HDA-8FXS=	8-port voice/fax expansion module - FXS
EM-HDA-4FXO=	4-port voice/fax expansion module - FXO
NM-1FE-FX-V2=	1-Port Fast Ethernet Network Module, FX Only
NM-HD-1V=	One-slot IP Communications Voice/Fax Network Module
NM-HD-2V=	Two-slot IP Communications Voice/Fax Network Module

	NM-HD-2VE=	Two-slot IP Communications Enhanced Voice/Fax Network Module
	SF-NM-WMS-1.1=	Microsoft Windows Media Server V4 for NM-CE-BP
	NMD-36-ESW-PWR-2G=	1 36 port 10/100 EtherSwitch NM+PWR+2 Gig Port
	AIM-ATM=	High Performance ATM Advanced Integration Module
	AIM-ATM-4T1=	4 port ATM IMA bundle
	AIM-ATM-4E1=	4 port ATM IMA bundle
	AIM-VOICE-30=	30 Channel T1/E1 Digital Voice module
	NM-HDV2-1T1/E1=	IP Communications High-Density Digital Voice NM with 1 T1/E1
	NME-16ES-1G-P=	EtherSwitch Service Mod 16 10/100T POE + 1 GE,IP Base
Cisco 3700 Series Voice Interface Cards--		
	VVIC-1MFT-E1=	1-Port RJ-48 Multiflex Trunk - E1
	VVIC-1MFT-G703=	1-Port RJ-48 Multiflex Trunk - G.703
	VVIC-1MFT-T1=	1-Port RJ-48 Multiflex Trunk - T1
	VVIC-2MFT-E1=	2-Port RJ-48 Multiflex Trunk - E1
	VVIC-2MFT-E1-DI=	2-Port RJ-48 Multiflex Trunk - E1 With Drop and Insert
	VVIC-2MFT-T1=	2-Port RJ-48 Multiflex Trunk - T1
	VVIC-2MFT-T1-DI=	2-Port RJ-48 Multiflex Trunk - T1 With Drop and Insert
	VVIC2-1MFT-T1/E1=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
	VVIC2-2MFT-T1/E1=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
	VVIC2-1MFT-G703=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
	VVIC2-2MFT-G703=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
	VIC2-2FXS=	Two-port Voice Interface Card - FXS
	VIC2-2FXO=	Two-port Voice Interface Card - FXO (Universal)
	VIC2-4FXO=	Four-port Voice Interface Card - FXO (Universal)
	VIC2-2E/M=	Two-port Voice Interface Card - EandM
	VIC2-2BRI-NT/TE=	Two-port Voice Interface Card - BRI (NT and TE)
	VIC-2DID=	Two-port DID (Direct Inward Dial) voice/fax interface card
Cisco 3700 Series WAN Interface Cards--		
	WIC-1B-S/T=	1-Port ISDN WAN Interface Card(dial and leased line)
	WIC-1DSU-56K4=	1-Port 4-Wire 56Kbps DSU/CSU WAN Interface Card
	WIC-2A/S=	2-Port Async/Sync Serial WAN Interface Card spare
	WIC-2T=	2-Port Serial WAN Interface Card spare
	WIC-BLANK-PANEL=	Blank WAN Interface Card Panel
	WIC-1SHDSL-V3=	One-port G.shdsl WIC with 4-wire support
	WIC-1AM=	One-port Analog Modem WAN Interface Card
	WIC-2AM=	Two-port Analog Modem WAN Interface Card
	WIC-1B-S/T-V3=	1-Port ISDN WAN Interface Card (dial and leased line)
Cisco 3700 ECAN Module for VVIC2-MFT Cards-		
	EC-MFT-32=	32-Channel Multiflex Trunk Dedicated ECAN Module
Cisco 3700 Series Accessories		
	PWR-3725-AC=	AC Power Supply for the Cisco 3725
	PWR-3745-AC=	AC Power Supply Spare for the Cisco 3745
	PWR-3745-DC-U=	Universal Power Supply, 24/48 volts
	CAB-RPS-2218=	RPS 22/18 Load Cable
Unity Express for Cisco 3700 Series -		
	AIM-CUE=	Unity Express AIM -price includes 12 mailbox
	SCUE-LIC-50CME=	Unity Express License 50 Voice Mailbox-Auto Attendant-CCME
	SCUE-LIC-25CME=	Unity Express License 25 Voice Mailbox-Auto Attendant-CCME
	SCUE-LIC-100CME=	Unity Express License 100 Voice Mailbox-Auto Attendant-CCME
Cisco 3800 Series Integrated Services Routers -		
Cisco 3800 Series Integrated Service Routers -		
	CISCO3825	3825 w/AC PWR, 2GE,1SFP, 2NME, 4HWIC, IP Base, 64F/256D
	CISCO3825-AC-IP	3825 w/AC+POE,2GE,1SFP, 2NME, 4HWIC, IP Base, 64F/256D
	CISCO3825-DC	3825 w/DC PWR,2GE,1SFP, 2NME, 4HWIC, IP Base, 64F/256D
	CISCO3845	3845 w/AC PWR,2GE,1SFP,4NME,4HWIC, IP Base, 64F/256D
	CISCO3845-AC-IP	3845 w/AC+POE,2GE,1SFP, 4 NME, 4HWIC, IP Base,64F/256D

	CISCO3845-DC	3845 w/DC PWR, 2GE,1 SFP, 4 NME, 4HWIC, IP Base, 64F/256D
Cisco 3800 Series - High Speed WAN Interface Cards		
	HWIC-AP-G-A=	AP HWIC w 2.4 Ghz Radio for 802.11 b/g Americas
	HWIC-AP-G-E=	AP HWIC w 2.4 Ghz Radio for 802.11 b/g Europe
	HWIC-AP-AG-A=	AP HWIC, 2 radios(2.4/5Ghz Radios 802.11 a/b/g) Americas
	HWIC-D-9ESW=	Nine port 10/100 Ethernet switch interface card
	HWIC-D-9ESW-POE=	9-Port Ethernet Switch HWIC with Power Over Ethernet
	HWIC-1GE-SFP=	GigE high speed WIC with one SFP slot
	HWIC-4ESW=	Four port 10/100 Ethernet switch interface card
	HWIC-4ESW-POE=	4-Port Ethernet Switch HWIC with Power Over Ethernet
	HWIC-16A=	16-Port Async HWIC
	HWIC-8A=	8-Port Async HWIC
	HWIC-8A/S-232=	8-Port Async/Sync Serial HWIC, EIA-232
	HWIC-4A/S=	4-Port Async/Sync Serial HWIC
	HWIC-4T=	4-Port Serial HWIC
	WIC-1B-S/T-V3=	1-Port ISDN WAN Interface Card (dial and leased line)
	WIC-1SHDSL-V3=	One-port G.shdsl WIC with 4-wire support
Cisco 3800 ECAN Module for VWIC2-MFT Cards-		
	EC-MFT-32=	32-Channel Multiflex Trunk Dedicated ECAN Module
Cisco 3800 Series VPN Bundles -		
	CISCO3825-HSEC/K9	3825 Security Bundle,AIM-VPN/EPII-PLUS,Adv. IP Serv,64F/256D
	CISCO3825-SEC/K9	3825 Security Bundle,Advanced Security,64F/256D
	CISCO3825-V3PN/K9	3825 V3PN bdle w/AIMVPN,PVDM2-64,CCME-168,AdvIPSvc,64F/256D
	CISCO3845-HSEC/K9	3845 Security Bundle,AIM-VPN-HP1I-PLUS,Adv. IP Serv,64F/256D
	CISCO3845-SEC/K9	3845 Security Bundle,Adv Security,64F/256D
	CISCO3845-V3PN/K9	3845 V3PN bdle,AIM-VPN,PVDM2-64,CCME-240,AdvIPServ,64F/256D
Cisco 3800 Series Voice Bundles -		
	CISCO3825-V/K9	3825 Voice Bundle,PVDM2-64,SP Serv,64F/256D
	CISCO3825-SRST/K9	3825 Voice Bundle w/ PVDM2-64,FL-SRST-168,SP Serv,64F/256D
	CISCO3825-CCME/K9	3825 Voice Bundle w/ PVDM2-64,FL-CCME-168,SP Serv,64F/256D
	CISCO3845-V/K9	3845 Voice Bundle,PVDM2-64,SP Serv,64F/256D
	CISCO3845-SRST/K9	3845 Voice Bundle w/ PVDM2-64,FL-SRST-240,SP Serv,64F/256D
	CISCO3845-CCME/K9	3845 Voice Bundle w/ PVDM2-64,FL-CCME-240,SP Serv,64F/256D
	C3825-VSEC-SRST/K9	3825 VSEC Bundle w/PVDM2-64,FL-SRST-168,Adv IP Serv,64F/256D
Cisco 3800 Series Voice Interface Cards		
	VVIC2-1MFT-T1/E1=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
	VVIC2-2MFT-T1/E1=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1
	VVIC2-1MFT-G703=	1-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
	VVIC2-2MFT-G703=	2-Port 2nd Gen Multiflex Trunk Voice/WAN Int. Card - G.703
Cisco 3800 Series Voice Expansion Modules -		
	EM-4BRI-NT/TE=	4-port voice/fax expansion module - BRI
	EM-HDA-6FXO=	6-port voice/fax expansion module - FXO
	EM-HDA-3FXS/4FXO=	7-port voice/fax expansion module - 3FXS/4FXO
Cisco 3825 Software CD Feature Packs -		
	CD382-AESK9=	Cisco 3825 Ser IOS ADV ENT SERVICES Feature Pack
	CD382-AISK9=	Cisco 3825 Ser IOS ADV IP SERVICES Feature Pack
	CD382-ASK9=	Cisco 3825 Ser IOS ADV SECURITY Feature Pack
	CD382-EB=	Cisco 3825 Ser IOS ENT BASE Feature Pack
	CD382-ESK9=	Cisco 3825 Ser IOS ENT SERVICES Feature Pack
	CD382-IPB=	Cisco 3825 Ser IOS IP BASE Feature Pack
	CD382-IPV=	Cisco 3825 Ser IOS IP VOICE Feature Pack
	CD382-SPSK9=	Cisco 3825 Ser IOS SP SERVICES Feature Pack
Cisco 3825 Series Flash Memory Options -		
	MEM3800-64CF=	64MB CF for the Cisco 3800 Series
	MEM3800-128CF=	128MB CF for the Cisco 3800 Series
	MEM3800-256CF=	256MB CF for the Cisco 3800 Series

Cisco 3845 Software CD Feature Packs -	
CD384-AESK9=	Cisco 3845 Ser IOS ADV ENT SERVICES Feature Pack
CD384-AISK9=	Cisco 3845 Ser IOS ADV IP SERVICES Feature Pack
CD384-ASK9=	Cisco 3845 Ser IOS ADV SECURITY Feature Pack
CD384-EB=	Cisco 3845 Ser IOS ENT BASE Feature Pack
CD384-ESK9=	Cisco 3845 Ser IOS ENT SERVICES Feature Pack
CD384-IPB=	Cisco 3845 Ser IOS IP BASE Feature Pack
CD384-IPV=	Cisco 3845 Ser IOS IP VOICE Feature Pack
CD384-SPSK9=	Cisco 3845 Ser IOS SP SERVICES Feature Pack
Cisco 3845 Series SDRAM Memory Options -	
MEM3800-256D=	256MB DIMM DDR DRAM for the Cisco 3800 Series
MEM3800-512D=	512MB DIMM DDR DRAM for the Cisco 3800 Series
Cisco 3800 Series Options & Spares -	
PWR-3825-AC=	Cisco 3825 AC power supply
PWR-3825-AC-IP=	Cisco 3825 AC/IP power supply
PWR-3825-DC=	CISCO3825 DC power supply
PWR-3845-AC-IP=	Cisco 3845 AC-IP power supply
PWR-3845-DC=	CISCO3845 DC power supply
ILPM-4=	4 port 802.3af capable Inline power module for HWIC-4ESW
ILPM-8=	8 port 802.3af capable inline power module for HWIC-D-9ESW
MEMUSB-64FT=	64MB USB Flash Token for Cisco 1800/2800/3800 series
MEMUSB-128FT=	128MB USB Flash Token for Cisco 1800/2800/3800 series
MEMUSB-256FT=	256MB USB Flash Token for Cisco 1800/2800/3800 series
Cisco 3800 Series Cables -	
CAB-HD8-KIT=	High Density 8-port Async Cable w/ 8 DB-25 Modem Connectors
CAB-HD8-ASYNC=	High Density 8-port EIA-232 Async Cable
CAB-HD4-232MT=	High Density 4-port EIA-232 Cable, Male, DTE
CAB-HD4-232FC=	High Density 4-port EIA-232 Cable, Female, DCE
Cisco 3800 Series Network Modules	
EVM-HD-8FXS/DID=	High density voice/fax extension module - 8 FXS/DID
NM-CIDS-K9=	Intrusion Detection System Network Module
NM-1CE1T1-PRI=	1-Port Channelized E1/T1/ISDN-PRI Network Module
NM-CE-BP-40G-K9=	Content Engine NM-Basic Perf-40GB
NME-X-23ES-1G-P=	EtherSwitch Service Mod 23 10/100T POE + 1 GE POE, IP Base
NME-XD-24ES-1S-P=	EtherSwitch Service Mod 24 10/100T POE + 1SFP+StackWise,SMI
NME-XD-48ES-2S-P=	EtherSwitch Service Mod 48 10/100T POE + 2SFP,Std Image(SMI)
NME-16ES-1G-P=	EtherSwitch Service Mod 16 10/100T POE + 1 GE,IP Base
NM-1A-OC3-POM=	ATM OC3 module with single POM (SFP) slot
Unity Express for Cisco 3800 Series -	
AIM-CUE=	Unity Express AIM -price includes 12 mailbox
SCUE-LIC-50CME=	Unity Express License 50 Voice Mailbox-Auto Attendant-CCME
SCUE-LIC-25CME=	Unity Express License 25 Voice Mailbox-Auto Attendant-CCME
SCUE-LIC-100CME=	Unity Express License 100 Voice Mailbox-Auto Attendant-CCME
Cisco IP Telephony	
Cisco IP Phones and Power	
CP-7920-FC-CH1-K9	Cisco 7920/FCC; CCM UL; Battery/Pwr Supply Not Included
CP-7920-AC-CH1-K9	Cisco 7920/APAC; CCM UL; Battery/Pwr Supply Not Included
CP-7920-AE-CH1-K9	Cisco 7920/APAC; CCME UL; Battery/Pwr Supply Not Included
CP-7920-AUE-CH1-K9	Cisco 7920/Australia; CCME UL; Battery/Pwr Supply Not Incl
CP-7920-AUC-CH1-K9	Cisco 7920/Australia; CCM UL; Battery/Pwr Supply Not Incl
CUVA-V2=	Cisco Unified Video Advantage with VT Camera II
CP-7906G-CH1	Cisco IP Phone 7906G Channel Bundle
Cisco ATA Series Analog Telephone Adaptors	
Cisco ATA Series	
ATA186-I1-1P-CH1-A	ATA186-I1 with 1-Port User License
ATA186-I2-1P-CH1-A	ATA186-I2 with 1-Port User License

Cisco MC3810 Bundles	
Cisco MC3810 Accessories	
CAB-V35MT=	V.35 Cable, DTE, Male, 10 Feet
CAB-V35FC=	V.35 Cable, DCE, Female, 10 Feet
CAB-232MT=	RS-232 Cable, DTE, Male, 10 Feet
CAB-232FC=	RS-232 Cable, DCE, Female, 10 Feet
CAB-449MT=	RS-449 Cable, DTE, Male, 10 Feet
CAB-449FC=	RS-449 Cable, DCE, Female, 10 Feet
CAB-X21MT=	X.21 Cable, DTE, Male, 10 Feet
CAB-X21FC=	X.21 Cable, DCE, Female, 10 Feet
CAB-530MT=	Male DTE RS-530 Cable, 10 foot
CAB-AC=	AC Power Cord, US
CAB-ACE=	AC Power Cord, Europe
CAB-ACU=	AC Power Cord, UK
CAB-ACA=	AC Power Cord, Australia
CAB-RPS-2218=	RPS 22/18 Load Cable
CAB-RPSY-2218=	RPS 22/18 Two-to-one DC Power Cable
Cisco 4000 Series	
Cisco 4000 Series Accessories	
CAB-HNUL=	HSSI Cable, Male-to-Male Null Modem Cable, 10 Feet
CAB-HS11=	HSSI Cable, Male-to-Male Connectors, 10 Feet
CAB-OCT-V35-MT=	8 Lead Octal Cable and 8 Male V35 DTE Connectors
CAB-OCT-232-FC=	8 Lead Octal Cable and 8 Female RS232/V.24 DCE Connectors
CAB-OCT-X21-MT=	8 Lead Octal Cable and 8 Male X21 DTE Connectors
CAB-OCT-X21-FC=	8 Lead Octal Cable and 8 Female X21 DCE Connectors
Cisco AS5300 Series	
Cisco AS5300 Series Software	
LL53AK2=	Cisco AS5300 Series IOS ENTERPRISE PLUS IPSEC 3DES
LL53AP=	Cisco AS5300 Series IOS ENTERPRISE PLUS
LL53B=	Cisco AS5300 Series IOS DESKTOP
LL53BVP=	Cisco AS5300 Series IOS DESKTOP VOICE PLUS
LL53CK2=	Cisco AS5300 Series IOS IP PLUS IPSEC 3DES
LL53CP=	Cisco AS5300 Series IOS IP PLUS
Cisco AS5350 Universal Gateway	
Cisco AS5350 -- Memory Options & Spares	
MEM-256M-AS535=	AS5350 256MB Main SDRAM
Cisco AS5350 -- Series Cables	
CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-232MT=	RS-232 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-232FC=	RS-232 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-449MT=	RS-449 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-449FC=	RS-449 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-X21MT=	X.21 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-X21FC=	X.21 Cable, DCE Female to Smart Serial, 10 Feet
CAB-SS-530MT=	RS-530 Cable, DTE Male to Smart Serial, 10 Feet
CAB-SS-530AMT=	RS-530A Cable, DTE Male to Smart Serial, 10 Feet
Cisco AS5350 -- Spare DFC Cards	
AS5X-48UP=	60 universal port DFC card, 48 UP licenses
AS5X-108UP=	108 universal port DFC card, 108 UP licenses
AS5X-8E1=	8 port E1 AS5000 DFC card, 2 Meter Octal Cable
Cisco AS5350 -- Series Power Cables Spares	
CAB-ACA=	AC Power Cord, Australia
CAB-AC=	AC Power Cord, US
CAB-ACE=	AC Power Cord, Europe
CAB-ACR=	Power Cord Argentina, Spare

	CAB-ACU=	AC Power Cord, UK
Cisco AS5400 Universal Gateway		
Cisco AS5400 -- Series Cables		
	CAB-SS-V35MT=	V.35 Cable, DTE Male to Smart Serial, 10 Feet
	CAB-SS-V35FC=	V.35 Cable, DCE Female to Smart Serial, 10 Feet
	CAB-SS-232MT=	RS-232 Cable, DTE Male to Smart Serial, 10 Feet
	CAB-SS-232FC=	RS-232 Cable, DCE Female to Smart Serial, 10 Feet
	CAB-SS-449MT=	RS-449 Cable, DTE Male to Smart Serial, 10 Feet
	CAB-SS-449FC=	RS-449 Cable, DCE Female to Smart Serial, 10 Feet
	CAB-SS-X21MT=	X.21 Cable, DTE Male to Smart Serial, 10 Feet
	CAB-SS-X21FC=	X.21 Cable, DCE Female to Smart Serial, 10 Feet
	CAB-SS-530MT=	RS-530 Cable, DTE Male to Smart Serial, 10 Feet
	CAB-SS-530AMT=	RS-530A Cable, DTE Male to Smart Serial, 10 Feet
Cisco AS5400 -- Series Power Cables Spares		
	CAB-AC=	AC Power Cord, US
Cisco AS5400 -- Spare Accessories		
	AS5X-48UP=	60 universal port DFC card, 48 UP licenses
	AS5X-108UP=	108 universal port DFC card, 108 UP licenses
	AS5X-8E1=	8 port E1 AS5000 DFC card, 2 Meter Octal Cable
Cisco 7100 Series		
Cisco 7100 Series Modules		
	PA-4R-DTR=	Port Adapter:4-Port Dedicated Token Ring,4/16Mbps, HDX/FDX
Cisco 7200 Series		
Cisco 7200 Series Bundles		
	CISCO7204VXR-CH	Cisco 7204VXR, 4-slot chassis, 1 AC Supply w/ IP Software
	CISCO7204VXR/225	7204VXR Bundle with NPE-225 and I/O Controller with 2 FE/E
	CISCO7206VXR-CH	Cisco 7206VXR, 6-slot chassis, 1 AC Supply w/ IP Software
	C7206VXR/400/2FE	7206VXR with NPE-400 and I/O Controller with 2 FE/E Ports
	C7206VXR/VOICE/400	7206VXR w/ NPE-400, Voice PA PA-VXC-2TE1+, I/O contrl w/ 2FE
	7206VXR/NPE-G1	7206VXR with NPE-G1 includes 3GigE/FE/E Ports and IP SW
Cisco 7200 Series Port Adapters		
	PA-4R-DTR=	Port Adapter:4-Port Dedicated Token Ring,4/16Mbps, HDX/FDX
	PA-2E3=	2 Port E3 Serial Port Adapter with E3 DSUs
	PA-T3+=	1 Port T3 Serial Port Adapter Enhanced
	PA-A3-T3=	1-Port ATM Enhanced DS3 Port Adapter (Spare)
	PA-A3-E3=	1-Port ATM Enhanced E3 Port Adapter (Spare)
	PA-A3-OC3MM=	1-Port ATM Enhanced OC3c/STM1 Multimode Port Adapter
	PA-GE=	Gigabit Ethernet Port Adapter
	PA-4E1G/75=	4-Port E1 G.703 Serial Port Adapter (75ohm/Unbalanced)
	PA-MCX-2TE1=	Spare 2 port MIX-enabled multichannel T1/E1 PA with CSU/DSU
	PA-MCX-4TE1=	4 port MIX-enabled multichannel T1/E1 PA with CSU/DSU
	PA-MCX-8TE1=	8 port MIX-enabled multichannel T1/E1 with CSU/DSU
	PA-MC-2T1=	2 port multichannel T1 port adapter with integrated CSU/DSUs
	PA-MC-4T1=	4 port multichannel T1 port adapter with integrated CSU/DSUs
	PA-MC-2T3+=	2 port multichannel T3 port adapter
	PA-VXB-2TE1+=	2 port T1/E1 moderate capacity enhanced voice PA
	PA-VXC-2TE1+=	2 port TE1 hi-capacity enhanced voice PA
	C7200-JC-PA=	7200 Series Port Adapter Jacket Card, SPARE
Cisco 7200 Series Network Processing Engines (NPEs)		
	NPE-400=	7200VXR NPE-400 (256MB default memory),SPARE
Cisco 7200 Series Software CD Feature Packs		
	CD72-A=	Cisco 7200 IOS Enterprise Feature Set
	CD72-AHK9=	Cisco 7200 IOS Enterprise FW/IDS/IPSEC/3DES Feature Set
	CD72-AK9=	Cisco 7200 IOS Enterprise IPSEC/3DES Feature Set
	CD72-AR1K9=	Cisco 7200 IOS Enterprise SNA/IPSEC/3DES Set
	CD72-C=	Cisco 7200 IOS IP PLUS Feature Set

	CD72-CHK9=	Cisco 7200 IOS IP FW/IDS/IPSEC/3DES Feature Set
	CD72-CK9=	Cisco 7200 IOS IP IPSEC/3DES Feature Set
Cisco 7200 Series Memory		
	MEM-NPE-400-256MB=	256MB Memory for NPE-400 in 7200 Series
	MEM-NPE-400-512MB=	512MB Memory for NPE-400 in 7200 Series
	MEM-I/O-FLD128M=	Cisco 7200 I/O PCMCIA Flash Disk, 128 MB Spare
	MEM-SD-NPE-128MB=	128MB Memory Upgrade Kit for NPE-300/NPE-225/NPE-175
	MEM-SD-NSE-256MB=	256MB Memory for NPE-225 or NSE-1 in 7200 Series, SPARE
	MEM-NPE-G1-1GB=	Two 512MB mem modules (1GB total) for NPE-G1 in 7200
	MEM-NPE-G1-512MB=	Two 256MB mem modules (512MB total) for NPE-G1 in 7200
	MEM-NPE-G1-FLD128=	Cisco 7200 Compact Flash Disk for NPE-G1, 128 MB Option
	MEM-NPE-G1-FLD256=	Cisco 7200 Compact Flash Disk for NPE-G1, 256 MB Option
	MEM-I/O-FLD64M=	Cisco 7200 I/O PCMCIA Flash Disk Memory, 64MB
Cisco 7200 Series Accessories		
	PWR-7200-DC+=	Cisco 7200 DC (24V-60V) Power Supply Option
	CAB-AC=	AC Power Cord, US
	CAB-ACA=	AC Power Cord, Australia
	CAB-ACE=	AC Power Cord, Europe
	CAB-ACU=	AC Power Cord, UK
	C7200-I/O-GE+E=	Cisco 7200 Input/Output Controller with GE and Ethernet
	C7200-I/O-2FE/E=	Cisco 7200 Input/Output Controller with Dual 10/100 Ethernet
	C7200-I/O=	Cisco 7200 Input/Output Controller, Spare
Cisco uBR7100 Series		
Cisco uBR7100 Series Products		
	UBR7111	1 DS, 1 US DOCSIS 1.1 CMTS router w/ upconverter, Cisco IOS
	UBR7111E	1 DS, 1 US EuroDOCSIS CMTS router w/ upconverter, Cisco IOS
	UBR7114	1 DS, 4 US DOCSIS 1.1 CMTS router w/ upconverter, Cisco IOS
	UBR7114E	1 DS, 4 US EuroDOCSIS CMTS router w/ upconverter, Cisco IOS
Cisco 7300 Series		
Cisco 7304 NPE-G100 Transceiver Modules		
	GLC-LH-SM=	GE SFP,LC connector LX/LH transceiver
	GLC-T=	1000BASE-T SFP
Cisco 7301 Transceiver Modules		
	GLC-LH-SM=	GE SFP,LC connector LX/LH transceiver
	GLC-T=	1000BASE-T SFP
Cisco 7500 Series		
Cisco 7500 Series Route Switch Processors		
	RSP4+=	Cisco 7500 Series Route Switch Processor 4+ (Spare)
	RSP16=	CISCO 7500 ROUTE SWITCH PROCESSOR 16 Spare
Cisco 7500 Series Memory Products		
	MEM-RSP8-64M=	RSP8 64MB DRAM Option
	MEM-RSP16-1G	1GB ECC SDRAM Memory Option
	MEM-RSP16-1G=	RSP16 1GB ECC SDRAM Memory Spare
Cisco 7500 Series Versatile Interface		
	VIP4-50=	Versatile Interface Processor 4, Model 50
	VIP4-80=	Versatile Interface Processor 4, Model 80
	VIP6-80=	Services Accelerator Versatile Interface Processor 6-80
Cisco 7500 Series Port Adapters		
	PA-2FE-FX=	2-Port Fast Ethernet 100Base FX Port Adapter
	PA-2FE-TX=	2-Port Fast Ethernet 100Base TX Port Adapter
	PA-2E3=	2 Port E3 Serial Port Adapter with E3 DSUs
	PA-A3-OC3MM=	1-Port ATM Enhanced OC3c/STM1 Multimode Port Adapter
	PA-A3-OC3SML=	1-Port ATM Enhanced OC3c/STM1 Singlemode(IR)Port Adapter
	PA-A3-OC3SML=	1-Port ATM Enhanced OC3c/STM1 Singlemode(LR)Port Adapter
	PA-T3+=	1 Port T3 Serial Port Adapter Enhanced
	PA-A3-T3=	1-Port ATM Enhanced DS3 Port Adapter (Spare)

	PA-2T3+=	2 Port T3 Serial Port Adapter Enhanced, Spare
	PA-MC-T3=	1 port multichannel T3 port adapter
	PA-MC-2T1=	2 port multichannel T1 port adapter with integrated CSU/DSUs
	PA-MC-4T1=	4 port multichannel T1 port adapter with integrated CSU/DSUs
	PA-POS-OC3MM=	1-Port Packet/SONET OC3c/STM1 Multimode PA
	PA-POS-OC3SMI=	1-Port Packet/SONET OC3c/STM1 Singlemode (IR) PA
	PA-POS-OC3SML=	1-Port Packet/SONET OC3c/STM1 Singlemode (LR) PA
	MAS-VIP-PABLANK=	Cisco 7500 Series / VIP Port Adapter Blank
	PA-VXB-2TE1+=	2 port T1/E1 moderate capacity enhanced voice PA
	PA-VXC-2TE1+=	2 port TE1 hi-capacity enhanced voice PA
Cisco 7500 Series Accessories		
	CAB-OCT-V35-MT=	8 Lead Octal Cable and 8 Male V35 DTE Connectors
	CAB-OCT-232-FC=	8 Lead Octal Cable and 8 Female RS232/V.24 DCE Connectors
	CAB-OCT-X21-MT=	8 Lead Octal Cable and 8 Male X21 DTE Connectors
	CAB-OCT-X21-FC=	8 Lead Octal Cable and 8 Female X21 DCE Connectors
	CAB-7KCT1DB15=	MIP-CT1: DSX1 to CSU DB-15 Thru Cable
	CAB-7513AC=	AC POWER CORD NORTH AMERICA
	CAB-7513ACE=	AC POWER CORD (EUROPE)
	CAB-7513ACU=	AC POWER CORD (UK)
	CAB-7513ACA=	AC POWER CORD (AUSTRALIA)
	CAB-7513ACR=	AC POWER CORD (ARGENTINA), spare
	CAB-7513AC-208VTL=	Cisco 7513 Series AC Power Cord 208V Twist-Lock, US
	CAB-7KAC=	Cisco 7500 Series AC Power Cord, US
Cisco 7600 Series		
Cisco 7600 Spares & Accessories		
	CAB-AC15A-90L-US=	Spare 15A AC Pwr Cord, left-angle (US)
	FAN-MOD-09=	Fan Mod CISCO7609 (2 required) / Cat6509-NEB-A (1 required)
Cisco 7600/Catalyst 6500 Ethernet Modules-		
	WS-X6148-45AF=	Catalyst 6500 PoE 802.3af 10/100, 48 port(RJ45) line card
Cisco 7600 Common Equipment-		
	WS-SUP720-3BXL=	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3BXL
	WS-SUP720-3B=	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3B
	WS-F6700-DFC3B=	Catalyst 6500 Dist Fwd Card, 256K+ Routes for WS-X67xx
	WS-F6700-DFC3BXL=	Catalyst 6500 Dist Fwd Card- 3BXL, for WS-X67xx
	WS-F6K-PFC3B=	Catalyst 6500 Sup720 Policy Feature Card-3B
Cisco 7600 FlexWAN Modules		
	WS-X6582-2PA=	Enhanced FlexWAN Module, Fabric-enabled
Cisco 7700 Series		
Cisco ICS 7700 Series Software Options-		
	VIC-4FXS/DID=	4 port FXS or DID VIC
Cisco 12000 Series Gigabit Switch Routers (GSR)		
12016 Power Supply Options		
	CAB-GSR16-UK=	Cisco 12016 GSR AC Power Supply Cord, UK Spare
Cisco 12000 Series Line Cards		
	GLC-LH-SM=	GE SFP,LC connector LX/LH transceiver
	GLC-T=	1000BASE-T SFP
Cisco 11500 Series of Content Services Switches (CSS)		
Cisco CSS 11500 Series-		
	CSS11501	Cisco 11501 Content Services Switch with Hard Disk and AC
	CSS11501=	Cisco 11501 Content Services Switch with AC (No Disk)
	CSS11501-2PK	Cisco CSS11501 Two-Pack
	CSS11501S-K9	Cisco 11501 Content Services Switch with SSL, Hard Disk, AC
	CSS11501S-K9=	Cisco 11501 Content Services Switch with SSL, AC (No Disk)
	CSS11503-AC	Cisco 11503 Content Services Switch SCM-2GE HD AC
	CSS11503-DC	Cisco 11503 Content Services Switch SCM-2GE HD DC
	CSS11506-2AC	Cisco 11506 Content Services Switch SCM-2GE HD 2SM 2AC FAN

Cisco CSS 11500 Series Module		
	CSS5-IOM-2GE=	CSS11500 Gigabit Ethernet IOM: 2 Port, Order 0-2 SFP
	CSS5-IOM-8FE=	CSS11500 Fast Ethernet IO Module: 8 Port TX
	CSS5-SAM=	CSS11500 Session Accelerator Module
	CSS5-IOM-16FE=	CSS11500 Fast Ethernet IO Module: 16 Port TX
	CSS5-SCM-2GE=	CSS11500 SCM 2GE, No Disk, Order Disk, Order 0-2 SFP
	CSS5-SSL-K9=	CSS11500 SSL Module (Strong Encryption)
Cisco CSS 11500 Series GBIC, Memory and Disk Option		
	CSS5-MEM-288=	CSS11500 Memory 288MB RDRAM
	CSS5-MEM-144=	CSS11500 Memory 144MB RDRAM
	CSS506-SM=	CSS11506 Only Switch Module
	GLC-LH-SM=	GE SFP,LC connector LX/LH transceiver
	GLC-T=	1000BASE-T SFP
Cisco CSS 11500 Series Power Supply Option		
	CSS506-PWR-AC=	CSS11506 Only AC Power Supply
	CSS506-PWR-DC=	CSS11506 Only DC Power Supply
Contact Center Solutions		
IP Contact Center (IPC)		
	IPC-NPSENT-CP	IPCC Enterprise Lab for Channel Partners
Intelligent Contact Management (ICM)		
	ICM-NPSVOC-CP	ICM only (no Web Email) Non Prd Suite system for partners
Internet Service Node (ISN)		
	ISN-NPS-CP	ISN Non-Production Suite for partners
Catalyst Express 500 Series-		
	WS-CE500-24TT	24 10/100 and 2 10/100/1000BT uplinks, GUI software
	WS-CE500-24LC	24 10/100 (4 PoE) and 2 10/100/1000BT or SFP uplinks, GUI
	WS-CE500G-12TC	8 10/100/1000BT and 4 10/100/1000BT or SFPs, GUI software
	WS-CE500-24PC	24 10/100 (24PoE) and 2 10/100/1000BT or SFP uplinks, GUI sw
Catalyst 2900 Series		
Catalyst 2950 Series		
	WS-C2955C-12	2955 12 TX w/MM Uplinks
	WS-C2955S-12	2955 12 TX w/Single Mode Uplinks
GBICs for the Catalyst 2950 Series		
	WS-G5483=	1000BASE-T GBIC
	WS-G5484=	1000BASE-SX Short Wavelength GBIC (Multimode only)
	WS-G5486=	1000BASE-LX/LH long haul GBIC (singlemode or multimode)
	WS-G5487=	1000Base-ZX extended reach GBIC(singlemode)
Catalyst 2960 Workgroup Switches -		
	WS-C2960-24-S	Catalyst 2960 24 10/100 LAN Lite Image
	WS-C2960-24TC-S	Catalyst 2960 24 10/100 + 2 T/SFP LAN Lite Image
	WS-C2960-48TC-S	Catalyst 2960 48 10/10 ports + 2 T/SFP LAN Lite Image
	WS-C2960-24TC-L	Catalyst 2960 24 10/100 + 2T/SFP LAN Base Image
	WS-C2960-24TT-L	Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image
	WS-C2960-48TC-L	Catalyst 2960 48 10/100 + 2 T/SFP LAN Base Image
	WS-C2960-48TT-L	Catalyst 2960 48 10/100 Ports + 2 1000BT LAN Base Image
	WS-C2960G-24TC-L	Catalyst 2960 24 10/100/1000, 4 T/SFP LAN Base Image
	WS-C2960G-48TC-L	Catalyst 2960 48 10/100/1000, 4 T/SFP LAN Base Image
Catalyst 3560 Series		
Catalyst 3560 Series 10/100/1000 Workgroup Switches -		
	WS-C3560G-24PS-S	Catalyst 3560 24 10/100/1000T PoE + 4 SFP Standard Image
	WS-C3560G-24PS-E	Catalyst 3560 24 10/100/1000T PoE + 4 SFP Enhanced Image
	WS-C3560G-24TS-S	Catalyst 3560 24 10/100/1000T + 4 SFP Standard Image
	WS-C3560G-24TS-E	Catalyst 3560 24 10/100/1000T + 4 SFP Enhanced Image
	WS-C3560G-48PS-S	Catalyst 3560 48 10/100/1000T PoE + 4 SFP Standard Image
	WS-C3560G-48PS-E	Catalyst 3560 48 10/100/1000T PoE + 4 SFP Enhanced Image
	WS-C3560G-48TS-S	Catalyst 3560 48 10/100/1000T + 4 SFP Standard Image

	WS-C3560G-48TS-E	Catalyst 3560 48 10/100/1000T + 4 SFP Enhanced Image
	WS-C3560-24TS-S	Catalyst 3560 24 10/100 + 2 SFP Standard Image
	WS-C3560-24TS-E	Catalyst 3560 24 10/100 + 2 SFP Enhanced Image
	WS-C3560-48TS-S	Catalyst 3560 48 10/100 + 4 SFP Standard Image
	WS-C3560-48TS-E	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image
Catalyst 3560 Series 10/100 Workgroup Switches -		
	WS-C3560-24PS-S	Catalyst 3560 24 10/100 PoE + 2 SFP Standard Image
	WS-C3560-24PS-E	Catalyst 3560 24 10/100 PoE + 2 SFP Enhanced Image
	WS-C3560-48PS-S	Catalyst 3560 48 10/100 PoE + 4 SFP Standard Image
	WS-C3560-48PS-E	Catalyst 3560 48 10/100 PoE + 4 SFP Enhanced Image
	WS-C3560-24TS-S	Catalyst 3560 24 10/100 + 2 SFP Standard Image
	WS-C3560-24TS-E	Catalyst 3560 24 10/100 + 2 SFP Enhanced Image
	WS-C3560-48TS-S	Catalyst 3560 48 10/100 + 4 SFP Standard Image
	WS-C3560-48TS-E	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image
SFPs for the Catalyst 3560 Series		
	GLC-GE-100FX=	100FX SFP on GE SFP ports for DSBU switches
	GLC-FE-100FX=	100BASE-FX SFP for FE port
	CAB-SFP-50CM=	Catalyst 3560 SFP Interconnect Cable, 50cm
Catalyst 3750 Series Products		
Catalyst 3750 Series 10/100/1000, GE, 10GE Workgroup Switch-		
	WS-C3750G-48PS-E	Catalyst 3750 48 10/100/1000T PoE + 4 SFP Enhanced Image
	WS-C3750G-48PS-S	Catalyst 3750 48 10/100/1000T PoE + 4 SFP Standard Image
	WS-C3750G-48TS-E	Catalyst 3750 48 10/100/1000T + 4 SFP Enhanced Multilayer
	WS-C3750G-48TS-S	Catalyst 3750 48 10/100/1000T + 4 SFP Standard Multilayer
	WS-C3750G-24PS-S	Catalyst 3750 24 10/100/1000T PoE + 4 SFP Standard Image
	WS-C3750G-24PS-E	Catalyst 3750 24 10/100/1000T PoE + 4 SFP Enhanced Image
	WS-C3750G-24TS-E	Catalyst 3750 24 10/100/1000 + 4 SFP Enhcd Multilayer;1.5RU
	WS-C3750G-24T-E	Catalyst 3750 24 10/100/1000T Enhanced Multilayer Image
	WS-C3750G-24TS-S	Catalyst 3750 24 10/100/1000 + 4 SFP Std Multilayer; 1.5RU
	WS-C3750G-24TS-S1U	Catalyst 3750 24 10/100/1000 + 4 SFP Std Multilayer;1RU
	WS-C3750G-24TS-E1U	Catalyst 3750 24 10/100/1000 + 4 SFP Enh Multilayer;1RU
	WS-C3750G-24T-S	Catalyst 3750 24 10/100/1000T Standard Multilayer Image
	WS-C3750G-16TD-E	Catalyst 3750 16 10/100/1000BT+ 10GbE (req XENPAK) Enh Image
	WS-C3750G-16TD-S	Catalyst 3750 16 10/100/1000BT+ 10GbE (req XENPAK) Std Image
	WS-C3750G-12S-E	Catalyst 3750 12 SFP Enhanced Multilayer Image
	WS-C3750G-12S-S	Catalyst 3750 12 SFP Standard Multilayer Image
Catalyst 3750 Series 10/100 Workgroup Switches -		
	WS-C3750-24FS-S	Catalyst 3750 24 100BaseFX + 2 SFP Standard Multilayer Image
	WS-C3750-24TS-S	Catalyst 3750 24 10/100 + 2 SFP Standard Multilayer Image
	WS-C3750-24TS-E	Catalyst 3750 24 10/100 + 2 SFP Enhanced Multilayer Image
	WS-C3750-24PS-S	Catalyst 3750 24 10/100 PoE + 2 SFP Standard Image
	WS-C3750-24PS-E	Catalyst 3750 24 10/100 PoE + 2 SFP Enhanced Image
	WS-C3750-48TS-S	Catalyst 3750 48 10/100 + 4 SFP Standard Multilayer Image
	WS-C3750-48TS-E	Catalyst 3750 48 10/100 + 4 SFP Enhanced Multilayer Image
	WS-C3750-48PS-S	Catalyst 3750 48 10/100 PoE + 4 SFP Standard Image
	WS-C3750-48PS-E	Catalyst 3750 48 10/100 PoE + 4 SFP Enhanced Image
SFPs for the Catalyst 3750 Series		
	GLC-SX-MM=	GE SFP, LC connector SX transceiver
	GLC-LH-SM=	GE SFP,LC connector LX/LH transceiver
	GLC-T=	1000BASE-T SFP
	GLC-ZX-SM=	1000BASE-ZX SFP
	GLC-GE-100FX=	100FX SFP on GE SFP ports for DSBU switches
	GLC-FE-100FX=	100BASE-FX SFP for FE port
Cisco StackWise Cables for the Catalyst 3750 Series		
	CAB-STACK-1M-NH=	Cisco StackWise 1M Non-Halogen Lead Free Stacking Cable
	CAB-STACK-3M-NH=	Cisco StackWise 3M Non-Halogen Lead Free Stacking Cable

	CAB-STACK-50CM-NH=	Cisco StackWise 50CM Non-Halogen Lead Free Stacking Cable
Catalyst 3750 Metro Series Products		
Software Licenses for the Catalyst 3750 Metro -		
	ME3750-ADVIP-LIC=	Advanced IP Feature License for Catalyst 3750 Metro
	ME3750-IPSVCLIC=	IP Services Feature License for Catalyst 3750 Metro
	ME3750-UPGRD-LIC=	ME-3750 Metro IP Services to Advanced IP upgrade License
Spare Power Supplies for the Catalyst 3750 Metro -		
	PWR-ME3750-AC=	Metro Catalyst 3750 AC power supply (spare)
	PWR-ME3750-DC=	Metro Catalyst 3750 DC power supply (spare)
Catalyst 4000 Series		
Catalyst 4500 Series Base Configuration		
	PWR-C45-1000AC=	Catalyst 4500 1000W AC Power Supply (Data Only) Spare
	PWR-C45-1400AC=	Catalyst 4500 1400W AC Power Supply (Data Only)(Spare)
	PWR-C45-1300ACV=	Catalyst 4500 1300W AC Power Supply (Data and PoE)
	PWR-C45-2800ACV=	Catalyst 4500 2800W AC Power Supply (Data and PoE)
	PWR-C45-4200ACV=	Catalyst 4500 4200W AC dual input Power Supply (Data + PoE)
	WS-C4503	Catalyst 4500 Chassis (3-Slot),fan, no p/s
	WS-C4503-S2+48	Cat4503 Bundle, 1x 1000AC, 1x S2+, 1x WS-X4148-RJ
	WS-C4506	Catalyst 4500 Chassis (6-Slot),fan, no p/s
	WS-C4506-S2+96	Cat4506 Bundle, 1x 1000AC, 1x S2+, 2x WS-X4148-RJ
	WS-C4507R	Catalyst 4500 Chassis (7-Slot),fan, no p/s, Red Sup Capable
	WS-C4510R	Catalyst 4500 Chassis (10-Slot),fan, no p/s,Red Sup Capable
Catalyst 4000 Supervisor Engine Modules		
	WS-X4013+=	Catalyst 4500 Supervisor II-Plus (IOS), 2GE,Console(RJ-45)
	WS-X4013+10GE=	Catalyst 4500 Sup II+10GE, 2x10GE (X2) and 4x1GE (SFP)
	WS-X4013+TS=	Catalyst 4503 SupII-Plus-TS, 12 10/100/1000 PoE+8 SFP slots
	WS-X4248-FE-SFP=	Catalyst 4500 48-Port 100BASE-X (SFPs Optional)
	WS-X4515=	Catalyst 4500 Supervisor IV, 2 GE, Console(RJ-45)(Spare)
	WS-X4516=	Catalyst 4500 Supervisor V (2 GE),Console(RJ-45)(Spare)
	WS-X4516-10GE=	Catalyst 4500 Supervisor V-10GE, 2x10GE (X2) and 4x1GE (SFP)
	WS-F4531=	Catalyst 4500 NetFlow Services Card (Sup IV/V)(Spare)
Catalyst 4000 Series Modules		
	WS-X4124-FX-MT=	Catalyst 4500 FE Switching Module, 24- 100FX (MTRJ)(Spare)
	WS-X4124-RJ45=	Catalyst 4500 10/100 Module, 24-Ports(RJ45)
	WS-X4148-FX-MT=	Catalyst 4500 FE Switching Module, 48-100FX MMF(MTRJ)(Spare)
	WS-X4148-RJ=	Catalyst 4500 10/100 Auto Module, 48-Ports (RJ-45) (Spare)
	WS-X4148-RJ21=	Catalyst 4500 10/100 Module, 48-Ports Telco (4xRJ21)(spare)
	WS-X4148-RJ45V=	Catalyst 4500 prestandard PoE 10/100, 48-Ports (RJ45)
	WS-X4224-RJ45V=	Catalyst 4500 PoE 802.3af 10/100 24-ports (RJ45)
	WS-X4232-GB-RJ=	Catalyst 4500 32-10/100 (RJ-45),2-GE(GBIC)
	WS-X4232-RJ-XX=	Catalyst 4500 10/100 Module,32-ports(RJ45)+Modular uplinks
	WS-X4248-RJ45V=	Catalyst 4500 PoE 802.3af 10/100, 48-Ports (RJ45)
	WS-X4248-RJ21V=	Catalyst 4500 PoE 802.3af 10/100, 48-Ports (RJ21)
	WS-X4302-GB=	Catalyst 4500 Gigabit Ethernet Module, 2-Ports (GBIC)
	WS-X4306-GB=	Catalyst 4500 Gigabit Ethernet Module, 6-Ports(GBIC) (Spare)
	WS-X4418-GB=	Catalyst 4500 GE Module,Server Switching 18-Ports (GBIC)
	WS-X4424-GB-RJ45=	Catalyst 4500 24-port 10/100/1000 Module (RJ45) (Spare)
	WS-X4448-GB-RJ45=	Catalyst 4500 48-Port 10/100/1000 Module (RJ45)
	WS-X4524-GB-RJ45V=	Catalyst 4500 PoE 802.3af 10/ 100/1000 24-ports (RJ45)
	WS-X4548-GB-RJ45=	Catalyst 4500 Enhanced 48-Port 10/100/1000 Base-T (RJ-45)
	WS-X4548-GB-RJ45V=	Catalyst 4500 PoE 802.3af 10/100/1000, 48-Ports (RJ45)
	WS-X4448-GB-SFP=	Catalyst 4500 48-Port 1000Base-X (SFPs Optional)
	WS-U4504-FX-MT=	Catalyst 4500 4-port 100FX(MTRJ) Uplink for WS-X4232-RJ-XX
	WS-X4506-GB-T=	Catalyst 4500 6-Port 10/100/1000 PoE or SFP (Optional)
Catalyst 4000 Series Software		
	S4KL3E-12218EW=	Cisco IOS ENHANCED L3 Cat4500 SUP4/5(OSPF,EIGRP,IS-IS)

	S4KL3EK91-12218EW=	Cisco IOS ENHNCD L3 C4500 SUP4/5,3DES(OSPF,EIGRP,IS-IS)
	S4KL3-12119EW=	Cisco IOS BASIC L3 Cat4500 SUP 2+/3/4(RIP,St.Routes,IPX,AT)
	S4KL3E-12119EW=	Cisco IOS ENHANCED L3 Cat4500 SUP3/4(OSPF,IGRP,EIGRP,IS-IS)
Catalyst 4000 Series Memory		
	MEM-C4K-32-RAM=	Catalyst 4003 Supervisor I 32MB Memory Upgrade (Spare)
	MEM-C4K-FLD64M=	Cat 4500 IOS-based Supervisor, Compact Flash, 64MB Spare
	MEM-C4K-FLD128M=	Cat 4500 IOS-based Supervisor, Compact Flash, 128MB Spare
Catalyst 4000 Series Power Cords		
	CAB-7KAC=	Cisco 7500 Series AC Power Cord, US
	CAB-AC-2800W-TWLK=	U.S. Power Cord, Twist Lock, NEMA 6-20 Plug
Catalyst 4000 Series Licenses		
	FR-IRC4=	Catalyst 4500 Sup IV/V InterDomain Routing License(BGP)
	WS-C4006-EMS-LIC=	Catalyst 4006 RMON Agent License
	WS-C4506-S2+96	Cat4506 Bundle, 1x 1000AC, 1x S2+, 2x WS-X4148-RJ
Catalyst 4000 Series Base Configuration		
	WS-X4608=	Cat 4603 Spare Power Supply Unit, EOS 2/1/06 Doc #2836
Catalyst 4000 Series Access Gateway Module Interface Cards		
	VVIC-1MFT-G703=	1-Port RJ-48 Multiflex Trunk - G.703
	VVIC-2MFT-E1-DI=	2-Port RJ-48 Multiflex Trunk - E1 With Drop and Insert
	VVIC-2MFT-T1-DI=	2-Port RJ-48 Multiflex Trunk - T1 With Drop and Insert
	WIC-1DSU-56K4=	1-Port 4-Wire 56Kbps DSU/CSU WAN Interface Card
	WIC-2A/S=	2-Port Async/Sync Serial WAN Interface Card spare
Catalyst 4900 Series		
Catalyst 4948 Switch -		
	WS-C4948-S	Catalyst 4948, IPB s/w, 48-Port 10/100/1000+4 SFP, 1 AC p/s
	WS-C4948-E	Catalyst 4948, ES s/w, 48-Port 10/100/1000+4 SFP, 1 AC p/s
	WS-C4948-10GE-S	Catalyst 4948, IPB s/w, 48*10/100/1000+2*10GE(X2), 1 AC p/s
	WS-C4948-10GE-E	Catalyst 4948, ES Image, 48*10/100/1000+2*10GE(X2), 1 AC p/s
Catalyst 4948 Accessories -		
	PWR-C49-300AC=	Catalyst 4948 300-Watt AC Power Supply (Spare)
Catalyst 4948 Software -		
	S49L3E-12225EWA=	CISCO CAT4948 IOS ENHANCED L3 (OSPF,EIGRP,IS-IS,BGP)
	S49L3EK9-12225EWA=	CISCO CAT4948 IOS ENHANCED L3 3DES (OSPF,EIGRP,IS-IS.BGP)
Catalyst 5000 Series		
Catalyst 5000 Optics		
	WS-G5483=	1000BASE-T GBIC
	WS-G5484=	1000BASE-SX Short Wavelength GBIC (Multimode only)
	WS-G5486=	1000BASE-LX/LH long haul GBIC (singlemode or multimode)
	WS-G5487=	1000Base-ZX extended reach GBIC(singlemode)
Catalyst 5000 Power Cords		
	CAB-7513AC=	AC POWER CORD NORTH AMERICA
	CAB-7KAC=	Cisco 7500 Series AC Power Cord, US
Catalyst 6500 Series		
Catalyst 6500 Series Chassis		
	WS-C6503-E	Catalyst 6500 Enhanced 3-slot chassis,4RU,no PS,no Fan Tray
	WS-C6503	Cat 6503 Chassis, 3slot, 4RU, No Pow Supply, No Fan Tray
	WS-C6506-E	Catalyst 6500 Enhanced 6-slot chassis,12RU,no PS,no Fan Tray
	WS-C6506	Cat 6506 Chassis, 6slot, 12RU, No Pow Supply, No Fan Tray
	WS-C6509-E	Catalyst 6500 Enhanced 9-slot chassis,15RU,no PS,no Fan Tray
	WS-C6509	Cat 6509 Chassis, 9slot, 15RU, No Pow Supply, No Fan Tray
	WS-C6509-NEB-A	Catalyst 6500 9-slot chassis(NEBS),21RU,no PS,no Fan Tray
	WS-C6513	Catalyst 6500 13-slot chassis,20RU,no PS,no Fan Tray
Catalyst 6500 Supervisor Engines & Switch Fabric Modules		
	WS-SUP720-3BXL=	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3BXL
	WS-SUP720-3B=	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3B
	WS-SUP720=	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3A

WS-SUP32-10GE-3B=	Cat 6500 Supervisor 32 with 2 ports 10GbE and PFC3B
WS-SUP32-GE-3B=	Catalyst 6500 Supervisor 32 with 8 GE uplinks and PFC3B
WS-X6K-S2U-MSFC2=	Catalyst 6500 Supervisor 2U, 256MB Supervisor, 512MB MSFC2
WS-X6K-S2-MSFC2=	Catalyst 6500 Supervisor Engine-2, 2GE, plus MSFC-2 / PFC-2
WS-X6K-S2-PFC2=	Catalyst 6500 Supervisor Engine-2, 2GE, plus PFC-2
WS-X6500-SFM2=	Catalyst 6500 Switch Fabric Module 2, Spare
Catalyst 6500 10GE	
WS-X6704-10GE=	Cat6500 4-port 10 Gigabit Ethernet Module (req. XENPAKs)
Catalyst 6500 Gigabit Ethernet	
WS-X6408A-GBIC=	Catalyst 6000 8-port GE, Enhanced QoS (Req. GBICs)
WS-X6516A-GBIC=	Catalyst 6500 16-port GigE Mod, fabric-enabled (Req. GBICs)
WS-X6724-SFP=	Catalyst 6500 24-port GigE Mod: fabric-enabled (Req. SFPs)
WS-X6748-SFP=	Catalyst 6500 48-port CEF720 GigE Module (Req. SFPs)
WS-X6816-DFC=	Cat6500 16-port GE,2 fab I/F,DFC for SUP2 ONLY (Req GBIC)
Catalyst 6500 10/100/1000 Ethernet	
WS-X6148-GE-TX=	Catalyst 6500 48-port 10/100/1000 GE Mod., RJ-45
WS-X6148A-GE-TX=	Catalyst 6500 48-port 10/100/1000 w/Jumbo Frame, RJ-45
WS-X6148-GE-45AF=	Cat6500 PoE 802.3af 10/100/1000, 48 port (RJ45) line card
WS-X6148A-GE-45AF=	Catalyst 6500 48-Port PoE 802.3af 10/100/1000, w/Jumbo Frame
WS-X6148V-GE-TX=	Catalyst 6500 48-port 10/100/1000 Inline Power Module, RJ-45
WS-X6516-GE-TX=	Catalyst 6500 16-port 10/100/1000 GE Module, Cross-Bar, spare
WS-X6548-GE-TX=	Catalyst 6500 48-port fabric-enabled 10/100/1000 Module
WS-X6548-GE-45AF=	Cat 6500 PoE 802.3af 10/100/1000 48-port(RJ45)CEF256 card
WS-X6548V-GE-TX=	Catalyst 6500 48-port fab-enabled 10/100/1000 inline pwr mod
WS-X6748-GE-TX=	Cat6500 48-port 10/100/1000 GE Mod: fabric enabled, RJ-45
Catalyst 6500 10/100 Ethernet	
WS-X6148-RJ-21=	Catalyst 6500 48-Port 10/100 Upgradable to Voice, RJ-21
WS-X6148-21AF=	Cat6500 PoE 802.3af 10/100, 48 port (RJ21) line card
WS-X6148-RJ21V=	Catalyst 6500 48-port 10/100 Inline Power Module, RJ-21
WS-X6148-RJ-45=	Catalyst 6500 48-Port 10/100, Upgradable to Voice, RJ-45
WS-X6148-45AF=	Catalyst 6500 PoE 802.3af 10/100, 48 port(RJ45) line card
WS-X6148A-45AF=	Catalyst 6500 48-Port PoE 802.3af 10/100,card w/TDR
WS-X6148-RJ45V=	Catalyst 6500 48-port 10/100 Inline Power, RJ-45
WS-X6148X2-RJ-45=	Cat6500 96-Port 10/100 (RJ45), Upgradable to PoE 802.3af
WS-X6196-RJ-21=	Catalyst 6500 96-Port 10/100 Upgradable - PoE 802.3af
WS-X6196-21AF=	Cat6500 96-Port, PoE 802.3af 10/100 - RJ-21
WS-X6548-RJ-21=	Catalyst 6500 48-port 10/100, RJ-21, fabric-enabled
WS-X6548-RJ-45=	Catalyst 6500 48-port 10/100, RJ-45, x-bar
Catalyst 6500 - 10FL/100FX Ethernet	
WS-X6148-FE-SFP=	Catalyst 6500 48 port 100Base-X module (require SFP)
WS-X6524-100FX-MM=	Catalyst 6500 24-port 100FX, MT-RJ, fabric-enabled
Catalyst 6500 Services Modules	
WS-SVC-CMM=	COMMUNICATION MEDIA MODULE
WS-SVC-CMM-6E1=	6-PORT E1 INTERFACE PORT ADAPTER
WS-SVC-FWM-1-K9=	Firewall blade for 6500 and 7600, VFW License Separate
WS-SVC-IDS2BUNK9=	IDS-M-2 600M mod spare
WS-SVC-NAM-1=	Catalyst 6500 Network Analysis Module-1
WS-SVC-NAM-2=	Catalyst 6500 Network Analysis Module
WS-SVC-SSL-1-K9=	SSL Module for Catalyst 6500
WS-SVC-WLAN-1-K9=	Wireless LAN Services Module, CEF256
WS-X6066-SLB-APC=	Catalyst 6500/7600 Content Switching Module
WS-X6608-E1=	Catalyst 6000 8 port Voice E1 and Services Module
WS-X6608-T1=	Catalyst 6000 8 port Voice T1 and Services Module
Catalyst 6500 FLEXWAN & OSM	
WS-X6582-2PA=	Enhanced FlexWAN Module, Fabric-enabled
Catalyst 6500 Power Supplies	

	WS-CDC-1300W=	Catalyst 6000 1300W DC Power Supply, Spare
	WS-CDC-2500W=	Catalyst 6000 2500W DC Power Supply, Spare
	WS-CAC-4000W-INT=	4000W AC PowerSupply, International (cable included)
	WS-CAC-6000W=	Cat6500 6000W AC Power Supply
Catalyst 65xx Cables		
	CAB-7513AC=	AC POWER CORD NORTH AMERICA
	CAB-7KAC=	Cisco 7500 Series AC Power Cord, US
	CAB-AC-2500W-US1=	Power Cord, 250Vac 16A, straight blade NEMA 6-20 plug, US
	CAB-AC15A-90L-US=	Spare 15A AC Pwr Cord, left-angle (US)
Catalyst 6500 Optics		
	GLC-LH-SM=	GE SFP,LC connector LX/LH transceiver
	GLC-T=	1000BASE-T SFP
	WS-G5483=	1000BASE-T GBIC
	WS-G5484=	1000BASE-SX Short Wavelength GBIC (Multimode only)
	WS-G5486=	1000BASE-LX/LH long haul GBIC (singlemode or multimode)
	WS-G5487=	1000Base-ZX extended reach GBIC(singlemode)
	XENPAK-10GB-LR=	10GBASE-LR XENPAK module
	XENPAK-10GB-SR=	10GBASE-SR XENPAK Module
	XENPAK-10GB-LX4=	10GBASE-LX4 XENPAK Module
Catalyst 6500 Memory Options		
	MEM-C6K-WAN-128M=	FlexWAN Module Memory for Cisco 7600/Cat 6500, 128MB, Spare
	MEM-S2-256MB=	Catalyst 6500 256MB DRAM on the Supervisor (SUP2), Spare
	MEM-S2-512MB=	Catalyst 6500 512MB DRAM on the Supervisor(SUP2 or 720)Spare
	MEM-MSFC-128MB=	Catalyst 6500 128MB DRAM on the MSFC1, Spare
	MEM-MSFC2-256MB=	Catalyst 6500 256MB DRAM on the MSFC2, Spare
	MEM-MSFC2-512MB=	Catalyst 6500 512MB DRAM on the MSFC2 or SUP720 MSFC3, Spare
Catalyst 6500 Removable Storage		
	MEM-C6K-FLC16M=	Cat6500 Sup1/Sup1A/Sup2, PCMCIA Flash Mem Card, 16MB Spare
	MEM-C6K-FLC24M=	Cat6500 Sup1/Sup1A/Sup2, PCMCIA Flash Mem Card, 24MB Spare
	MEM-C6K-FLC64M=	Cat6500 Sup1/Sup1A, PCMCIA Flash Mem Card, 64MB Spare
	MEM-C6K-ATA-1-64M=	Cat6500 Sup2, ATA Type1 Flash Mem Card, 64MB Spare
	MEM-C6K-CPTFL64M=	Cat6500 Sup720/Sup32 Compact Flash Mem 64MB
	MEM-C6K-CPTFL256M=	Cat6500 Sup720/Sup32 Compact Flash Mem 256MB
Catalyst 6500 Accessories / Field Replaceable Units		
	FAN-MOD-09=	Fan Mod CISCO7609 (2 required) / Cat6509-NEB-A (1 required)
	WS-C6K-6SLOT-FAN=	Catalyst 6000 Fan Tray for 6-Slot Systems, Spare
	WS-C6K-6SLOT-FAN2=	High Speed Fan Tray, Spare for Catalyst 6506, spare
	WS-C6K-9SLOT-FAN=	Catalyst 6000 Fan Tray for 9-Slot Systems, Spare
	WS-C6K-9SLOT-FAN2=	Catalyst 6509 High Speed Fan Tray, Spare
	WS-C6K-13SLOT-FAN=	Fan Tray for 13-Slot C6K
	WS-C6K-13SLT-FAN2=	High Speed Fan Tray, Spare, for Catalyst 6513 / Cisco 7613
	WS-C6X06-RACK=	Catalyst 6x06 Rack Mount Kit and Cable Organizer, Spare
	WS-C6X09-RACK=	Catalyst 6x09 Rack Mount Kit and Cable Organizer, Spare
	WS-F6K-DFC=	Dist Fwd Card for 65xx, 6816 Modules used with SUP2
	WS-F6K-DFC3A=	Dist Fwd Card-3A for 65xx, 6816 Modules used with SUP720
	WS-F6K-GE48-AF=	Cat 6500 802.3af PoE daughter card for WS-X6x48-GE-TX
	WS-F6K-MSFC2=	Catalyst 6000 Multilayer Switch Feature Card (MSFC)II, Spare
	WS-F6K-PFC3BXL=	Sup720 PFC-3BXL Plus 2x1Gig Mem
	WS-F6K-VPWR=	Cat6500 Voice Power Feature Card for 6348/6148 10/100 Mods
	WS-F6700-DFC3B=	Catalyst 6500 Dist Fwd Card, 256K+ Routes for WS-X67xx
	WS-F6700-DFC3BXL=	Catalyst 6500 Dist Fwd Card- 3BXL, for WS-X67xx
	WS-X6K-SLOT-CVR=	Catalyst 6000 Blank Line Card Slot Cover
	WS-C6503-E-FAN=	Catalyst 6503-E Chassis Fan Tray
	WS-C6506-E-FAN=	Catalyst 6506-E Chassis Fan Tray
	WS-C6509-E-FAN=	Catalyst 6509-E Chassis Fan Tray
Catalyst 6500 Licenses		

	FR-IRC6=	Catalyst 6000 Family InterDomain Routing Feature License
	WS-C6X06-EMS-LIC	Catalyst 6x06 RMON Agent License
	WS-C6X09-EMS-LIC	Catalyst 6x09 RMON Agent License
	WS-C6513-EMS-LIC=	Catalyst 6513 RMON Agent License
Catalyst 8510 Series		
Catalyst 8510 -- Miscellaneous		
	CAB-ATM25-12=	ATM25 Cable, 96 Pin To 12 Male RJ45s
	CAB-MTRJ-SC-MM-1M=	MT-RJ MM to SC Duplex MM - 1 meter
	CAB-MTRJ-SC-MM-3M=	MT-RJ MM to SC Duplex MM - 3 meter
	CAB-MTRJ-ST-MM-1M=	MT-RJ MM to ST Duplex MM - 1 meter
	CAB-MTRJ-ST-MM-3M=	MT-RJ MM to ST Duplex MM - 3 meter
	CAB-MTRJ-ST-MM-5M=	MT-RJ MM to ST Duplex MM - 5 meter
Catalyst 8540 Series		
Catalyst 8540 -- Miscellaneous		
	CAB-MTRJ-SC-MM-1M=	MT-RJ MM to SC Duplex MM - 1 meter
	CAB-MTRJ-SC-MM-3M=	MT-RJ MM to SC Duplex MM - 3 meter
	CAB-MTRJ-ST-MM-1M=	MT-RJ MM to ST Duplex MM - 1 meter
	CAB-MTRJ-ST-MM-3M=	MT-RJ MM to ST Duplex MM - 3 meter
	CAB-MTRJ-ST-MM-5M=	MT-RJ MM to ST Duplex MM - 5 meter
Cisco IP Telephony Solutions		
Cisco IP Power & Phones		
	CP-7941G=	Cisco IP Phone 7941, spare
	CP-7941G-CH1	Cisco IP Phone 7941, Channel w/license
	CP-7941G-GE-CH1	IP Phone 7941G-GE for Channels with 1 Station User License
	CP-7941G-GE=	Cisco IP Phone 7941G-GE, Global, Gig Ethernet, spare
	CP-7936-CH1	Conf. Station w external mic ports, license
	CP-7936-MIC-KIT=	Microphone Kit, for 7936
	CP-7961G=	Cisco IP Phone 7961, spare
	CP-7961G-CH1	Cisco IP Phone 7961, Channel w/ license
	CP-7961G-GE-CH1	IP Phone 7961G-GE for Channels with 1 Station User License
	CP-7961G-GE=	Cisco IP Phone 7961G-GE, Global, Gig Ethernet, spare
	CP-7960G-CH1	7960 IP Phone with one Station User License
	CP-7971G-GE-CH1	IP Phone 7971G-GE for Channels with 1 Station User License
	CP-7970G-CH1	7970 IP Phone with one Station User License
	CP-7970G-CH2	IP Phone 7970G, for channel, license, power cube, NA cord
	CP-7940G-CH1	7940 IP Phone with one Station User License
	CP-7912G-CH1-A	7912G IP PHONE WITH ONE STATION USER LICENSE
	CP-7911G-CH1	Cisco IP Phone 7911G with 1 RTU License
	CP-7911G=	Cisco IP Phone 7911G
	CP-7914=	7914 IP Phone Expansion Module
	CP-7902G-CH1	7902G IP PHONE WITH ONE STATION USER LICENSE
	CP-SINGLFOOTSTAND=	Footstand kit for single 7914
	CP-PWR-CUBE-3=	IP Phone power transformer for the 7900 phone series
	CP-PWR-CORD-NA=	7900 Series North America Power Cord
	CP-PWR-INJ=	IP Phone Power Injector For 7900 Series Phones
	CP-BATT-7920-EXT=	Cisco 7920 Battery, Extended
	CP-BATT-7920-STD=	Cisco 7920 Battery, Standard
	CP-CASE-7920-FLC=	Cisco 7920 Leather Carry Case, Full Cover
	CP-CASE-7920-HOL=	Cisco 7920 Leather Carry Case, Holster
	CP-LCKNGWALLMOUNT=	Locking Wallmount Kit for the 7910, 7940, 7960 IP Phones
	CP-LCKNGWALLMNT2=	Universal Locking Wallmount Kit for 7900 Series IP Phones
	CP-CFGPR-BUN-7920	Cisco 7920 Config Program; Incl. Config Util, 2 USB Cables
	CP-DSKCH-BUN-7920	Cisco 7920 Desk Top Charger; Power Supply Not Included
	CP-DOUBLFOOTSTAND=	Footstand kit for 2 7914s
	CP-7902G-CCME	7902G IP Phone With One CallManager Express Station User Lic
	CP-7911G-CCME	Cisco IP Phone 7911G with 1 CCME RTU License

	CP-7912G-A-CCME	7912G IP Phone With One CallManager Express Station User Lic
	CP-7940G-CCME	7940 IP Phone With One CallManager Express Station User Lic
	CP-7960G-CCME	7960 IP Phone With One CallManager Express Station User Lic
	SW-IPCOMM-E1-CH1	IP Communicator and License for CallManager 3.x or 4.x
	CP-7940G=	Cisco IP Phone 7940G, Global, Spare
	CP-7960G=	Cisco IP Phone 7960G, Global, Spare
	CP-7970G=	Spare Cisco IP Phone 7970G, Global
	CP-PWR-7920-NA=	Cisco 7920 Series Power Supply for North America (NA)
	CP-WALLMOUNTKIT=	Non-Locking Wall Mount Kit for 7910, 7940, 7960 IP Phones
	CP-7920-FC-CH1-K9	Cisco 7920/FCC; CCM UL; Battery/Pwr Supply Not Included
	CP-7920-AC-CH1-K9	Cisco 7920/APAC; CCM UL; Battery/Pwr Supply Not Included
	CP-7920-AE-CH1-K9	Cisco 7920/APAC; CCME UL; Battery/Pwr Supply Not Included
	CP-7920-AUE-CH1-K9	Cisco 7920/Australia; CCME UL; Battery/Pwr Supply Not Incl
	CP-7920-AUC-CH1-K9	Cisco 7920/Australia; CCM UL; Battery/Pwr Supply Not Incl
	CP-7912G-A=	Cisco IP Phone 7912G
	CP-MULTICHGR-7920=	Cisco Wireless IP Phone 7920 Multi-Charger
	CP-PWR-MC7920=	Cisco Wireless IP Phone 7920 Multi Charger Power Supply
Cisco Access Gateways & Digital Gateway		
	NM-HDV-1T1-24=	Single-Port 24 Channel T1 Voice/Fax Network Module
	NM-HDV-1T1-24E=	Single-Port 24 Enhanced Channel T1 Voice/Fax Network Module
	NM-HDV-2T1-48=	Dual-Port 48 Channel T1 Voice/Fax Network Module
	VG224	24 Port Voice over IP analog phone gateway
	VG248	48 Port Voice over IP analog phone gateway
Cisco CallManager & Hardware/Software		
	MCS-7835-H1-ECS1	MCS 7835-HP; rack; 2GB; RAID 1; Win2K
	MCS-7845-H1-ECS1	MCS 7845-HP; VM-6HDD; rack; 4GB; RAID 1(x3) DUAL CPU; Win2K
	MCS-7845-H1-ECS2	MCS 7845-HP; UM-4HDD; rack; 4GB; RAID 1(x2) DUAL CPU; Win2K
	CM4.0-K9-X345D=	SW CallMgr 4.0, IBM X345, 2CPU
	CM4.1-K9-NFR=	SW CallMgr 4.1 New Install And Upgrade, Not For Resale
	CM4.0-K9-NFR=	CallManager 4.0 New Install And Upgrade, Not For Resale
	CM4.2-K9-380G4	SW Only, Unified CallMgr 4.2 For HP DL380-G4 /1CPU
	CM4.2-K9-380G4D	SW Only, Unified CallMgr 4.2 For HP DL380-G4 /2CPU
	CM4.2-K9-7815-I2SE	SW Only, CallMgr 4.2 For MCS-7815-I2 / MCS-7815-I1, 100 Usr
	CM4.2-K9-7825-H2	SW Only, CallMgr 4.2 For MCS-7825-H2 / MCS-7825-H1
	CM4.2-K9-7825-I2	SW Only, CallMgr 4.2 For MCS-7825-I2 / MCS-7825-I1
	CM4.2-K9-7835H1-1	SW Only, Unified CallMgr 4.2 For MCS 7835-H1
	CM4.2-K9-7835I1-1	SW Only, Unified CallMgr 4.2 For MCS 7835-I1
	CM4.2-K9-7845H1-1	SW Only, Unified CallMgr 4.2 For MCS 7845-H1
	CM4.2-K9-7845I1-1	SW Only, Unified CallMgr 4.2 For MCS 7845-I1
	CM4.2-K9-DL320G4	SW Only, CallManager 4.2 For HP DL320-G4
	CM4.2-K9-NFR	SW CallMgr 4.2 New Install And Upgrade, Not For Resale
	CM4.2-K9-X206M	SW Only, CallManager 4.2 For IBM X206M
	CM4.2-K9-X306M	SW Only, CallManager 4.2 For IBM X306M
	CM4.2-K9-X346R	SW Only, Unified CallMgr 4.2 For IBM X346, 8840-3RY /1CPU
	CM4.2-K9-X346RD	SW Only, Unified CallMgr 4.2 For IBM X346, 8840-3RY /2CPU
	CM5.0-K9-NFR	SW CallMgr 5.0 Appliance Not For Resale
	SW-CCM-3.3-UPG=	CallManager 3.3(5) upgd from CCM 3.1, 3.2, 3.3(x), same svr
	MCS-7835-I1-IPC1	HW Only MCS-7835-I1 with 2048MB RAM and Two 72GB SCSI HD
	MCS-7845-I1-IPC1	HW Only MCS-7845-I1 with 4096MB RAM and Four 72GB SCSI HD
	MCS-7835-H1-IPC1	HW Only MCS-7835-H1 with 2048MB RAM and Two 72GB SCSI HD
	MCS-7845-H1-IPC1	HW Only MCS-7845-H1 with 4096MB RAM and Four 72GB SCSI HD
	USOL-A-10USR	Solution Bundle - A - Additional Licenses - 10
	USOL-A-50USR	Solution Bundle - A - Additional Licenses - 50
	USOL-B-10USR	Solution Bundle - B - Additional Licenses - 10
	USOL-B-50USR	Solution Bundle - B - Additional Licenses - 50
	USOL-B-50U+SW-K9	Solution Bundle - B - Software and Licenses - 50

Cisco CallManager & Hardware/Software SPARES		
	MCS-7835H-2.4-36=	Spare 36GB Ultra SCSI Hot Plug Drive for MCS 7835H-2400
	LIC-CM-DL-10=	CallManager Device License - 10 units
	LIC-CM-DL-100=	CallManager Device License - 100 units
Cisco IP Telephony - Software		
	SW-CCM-UL-3PTYM	User license 3rd party multi line phone
	SW-IVR-KEY-APAC=	IVR one port for APAC only
	SW-UC-KIT-A=	Cisco Unified Communications Application
	SW-CRS-3.0-NFR=	ICD/IVR/QM 3.0 Not For Resale Kit
	SW-CCM-UL-7920	CallManager Unit License for Single Wireless IP Phone 7920
	SW-CCM-UL-7940=	Spare license 7940 phone
	SW-CCM-UL-7941=	License, CallManager, Cisco IP Phone 7941, spare
	SW-CCM-UL-7960=	Spare license 7960 phone
	SW-CCC-V12=	Cisco Conference Connection V1.2 software, 20 user license
	SW-CCME-UL-7912=	Cisco CallManager Express License For Single 7912 IP Phone
	SW-CCM-UL-7912=	Spare CallManager Unit license for single 7912 IP phone
	SW-CCM-UL-7961=	License, Cisco IP Phone 7961
	SW-CCM-UL-ANA=	Spare CallManager Unit license for Cisco ATA
	SW-SMH-UL-7905=	Spare SIP or H.323 license for single 7905 IP phone
Cisco IP Feature - Licenses		
	FL-SRST-SMALL=	Feat Lic Survivable Remote Site Telephony up to 24 phones
	FL-SRST-MEDIUM=	Feat Lic Survivable Remote Site Telephony up to 48 phones
	FL-CCME-SMALL=	Cisco Call Manager Express Feat License For Up To 24 Users
	FL-CCME-MEDIUM=	Cisco Call Manager Express Feat License For Up To 48 Users
	FL-CCME-36	Cisco CallManager Express Feature License For Up To 36 Users
	FL-CCME-36=	Cisco Call Manager Express Feat License For Up To 36 Users
	FL-CCME-72=	Cisco Call Manager Express Feat License For Up To 72 Users
	FL-CCME-96=	Cisco Call Manager Express Feat License For Up To 96 Users
	FL-CCME-120=	Cisco Call Manager Express Feat License For Up To 120 Users
	SW-CCME-UL-ANA=	Cisco CallManager Express Lic for Cisco ATA
	FL-WEBVPN-25-K9=	Feature License IOS SSL VPN Up To 25 Users (Incremental)
	FL-WEBVPN-10-K9=	Feature License IOS SSL VPN Up To 10 Users (Incremental)
Cisco IP Telephony Starter Kits		
	EXP-CP=	Express Not-For-Resale Kit for Channel Partners Labs
Cisco Unity 4.0-		
	UNITY4-DEMO-10USR	Unity 4.0, 10 users, 2 sessions, Demo software DVD
Cisco Unity Spares		
	UNITYU4-50USR-E=	Unity UM Exch, 50 usr, 16 session, 2 TTS, no media-orderDVD
	UNITYU4-100USR-E=	Unity UM Exch, 100 usr, 16 session, 2 TTS, no media-orderDVD
	UNITYU4-200USR-E=	Unity UM Exch, 200 usr, 16 session, 2 TTS, no media-orderDVD
	UNITYU4-300USR-E=	Unity UM Exch, 300 usr, 16 session, 4 TTS, no media-orderDVD
	UNITY-RS-ML=	Unity, one session Real Speak TTS
	UNITYV4-50USR=	Unity VM, 50 users (w/ 16 sessions, no media-orderDVD)
	UNITYV4-100USR=	Unity VM, 100 users (w/ 16 sessions, no media-orderDVD)
	UNITYV4-200USR=	Unity VM, 200 users (w/ 16 sessions, no media-orderDVD)
	UNITYV4-300USR=	Unity VM, 300 users (w/ 16 sessions, no media-orderDVD)
	UNITY-ADDL-LANG=	Support for an additional language. May order up to 17.
	UNITY-DVD-4.0=	UNITY 4.0 DVD set
	UNITY-CD-4.0=	UNITY-CD-4.0=
	AIM-CUE=	Unity Express AIM -price includes 12 mailbox
ICS7750 Spares		
	ICSUNITY-VM-5USR=	ICS Unity VM 5 User Upgrade
	ICSUNITY-VM-25USR=	ICS Unity VM 25 User Upgrade
	ICSUNITY-UM-25USR=	ICS Unity UM 25 Seat Upgrade
	ICSUNITY-VMUM-5U=	ICS Unity VM to UM Upgrade for five users
	ICSUNITY-VMUM-25U=	ICS Unity VM to UM Upgrade for twenty five users

ICS7750 System Ordering Codes	
SW-CCM-3.3-NFR=	CallManager 3.3 New Install and Upgrade, Not For Resale
VIC-4FXS/DID=	4 port FXS or DID VIC
Cisco IP Telephone User Licenses	
IPCX-40-DISTI-NFR=	IPCX 4.0 NFR Kit for DISTI: PREMIUM with 6 Seats-NO ASR/TTS
IPCXIVR-3YES-SVR1	IPCX or IP IVR 3.5 or later 3.Y Expansion Server (SW only)
IPCXIVR-3YDB-1PS1=	IPCX or IP IVR 3.5 or later 3.Y MS SQL Svr 1 Proc (SW only)
IPCXIVR-3YDB-2PS1=	IPCX or IP IVR 3.5 or later 3.Y MS SQL Svr 2 Proc (SW only)
IPCX-3YSTD-SVR1	IPCX 3.5 or later 3.Y Std Server (SW only)
IPCX-3YSTD-SEAT1	IPCX 3.5 or later 3.Y Std Seat Qty 1 (agent or supervisor)
IPCX-3YSTD-SEAT10	IPCX 3.5 or later 3.Y Std Seat Qty 10 (agent or supervisor)
IPCX-3YSTD-SEAT25	IPCX 3.5 or later 3.Y Std Seat Qty 25 (agent or supervisor)
IPCX-3YSTD-SEAT50	IPCX 3.5 or later 3.Y Std Seat Qty 50 (agent or supervisor)
IPCX-3YENH-CSSVR1	IPCX 3.5 or later 3.Y Enh Cold Standby Server (SW only)
IPCX-3YENH-SEAT50	IPCX 3.5 or later 3.Y Enh Seat Qty 50 (agent or supervisor)
IPCX-3YPRE-SVR1	IPCX 3.5 or later 3.Y Pre Server (SW only)
IPCX-3YPRE-CSSVR1	IPCX 3.5 or later 3.Y Pre Cold Standby Server (SW only)
IPCX-3YPRE-SEAT1	IPCX 3.5 or later 3.Y Pre Seat Qty 1 (agent or supervisor)
IPCX-3YPRE-SEAT10	IPCX 3.5 or later 3.Y Pre Seat Qty 10 (agent or supervisor)
IPCX-3YPRE-SEAT25	IPCX 3.5 or later 3.Y Pre Seat Qty 25 (agent or supervisor)
IPCX-3YPRE-SEAT50	IPCX 3.5 or later 3.Y Pre Seat Qty 50 (agent or supervisor)
IPCX-CP=	IPCX 3.5 or later 3.Y NFR Kit
IVR-QM-NFR-CP=	IP IVR And IP QM Not For Resale Kit
Cisco Media Convergence Server	
MCS7815I2-K9-CMA1	HW/SW Unified CallMgr 5.0 7815-I2 Appliance, 0 Seats
MCS-7825-H1-UC1	MCS 7825-HP rack; Unity Connection; 1GB; sATA RAID; Win2003
MCS-7815-I2-CCX1	HW Only, MCS-7815-I2 with 2GB RAM and 80GB SATA HD
MCS-7815-I2-UC1	MCS-7815-I2; Tower; Unity Connection; 2GB; Win2003
MCS-7835-I1-CC1	HW Only MCS-7835-I1 with 2048MB RAM and Two 72GB SCSI HD
MCS-7835-H1-CC1	HW Only MCS-7835-H1 with 2048MB RAM and Two 72GB SCSI HD
MCS-7845-H1-CC1	HW Only MCS-7845-H1 with 4096MB RAM and Four 72GB SCSI HD
MCS-7845-I1-CC1	HW Only MCS-7845-I1 with 4096MB RAM and Four 72GB SCSI HD
Cisco IP Telephony Phone User License	
SW-CCME-UL-7920	Cisco CallManager Express License For Single 7920 IP Phone
Network Management	
CiscoWorks2000 Routed WAN Management Solution	
CWRW-MAR04-MR-K9	Minor Rel Mar04: Requires existing RWAN 1.x WIN/SOL
CiscoWorks 2000 Software Relicensing for Used Equipment-	
LLCWLMS-1.X-R-LIC	CW LMS 1.x, re-license certificate only, no CDs or DOC
CWLMS-MAY03-MR-K9	Minor Rel May03: Requires existing LMS 1.X or 2.X WIN/SOL
CiscoWorks Small Network Management Solution-	
CWSNM-1.5-K9	CiscoWorks Small NMS Solution, Incl. WUG 8, CV 6.0, RME 3.5
CWSNM-1.5-WINUP-K9	CiscoWorks Small NMS upgrade for CWW 5.x and 6.x customers
CiscoWorks LAN Management Solution	
CWLMS-2.5-R-K9	LMS 2.5.1 Enterprise WIN/SOL 300 Dev Restricted - Rev Dec05
CWLMS-2.5-RCONV-K9	LMS 2.5 or 2.5.1 R Upg to LMS 2.5.1 UR - Rev Dec05
CWLMS-2.5-RUP-K9	LMS 1.x, RWAN 1.x, SNMS 1.x Upg to LMS 2.5.1 R - Rev Dec05
CWLMS-2.5-UR-K9	LMS 2.5.1 Large Ent WIN/SOL Dev UnRestricted - Rev Dec05
CWLMS-2.5-URUP-K9	LMS 1.x, RWAN 1.x, Upg to LMS 2.5.1 UR - Rev Dec05
CiscoWorks Solution Engine	
CWWLSE-1030-K9	Wireless LAN Solution EE 2.13; Includes the HW and SW
RACK-QCN-SN5=	Rack for CWWLSE Express 1030
CWWLSE-2.13EXLCUK9	WLSE Express 2.13 lic Upg. From 50 dev to 100 dev lic
Cisco QoS Policy Manager	
CWQPM-3.2-R-K9	QoS Policy Mgr 3.2 for WIN; 20 Device Restricted
CWQPM-3.2-UR-K9	QoS Policy Mgr 3.2 WIN; Unrestricted Devices

	CWQPM-3.2-URUP-K9	Upgrade QPM 1.x or 2.x to QPM 3.2 Unrestricted
	CWQPM-3.2-R-MR-K9	Minor Rel Update: Requires existing QPM 3.X Restricted
	CWQPM-3.2-UR-MR-K9	Minor Rel Update: Requires existing QPM 3.X Unrestricted
CiscoWorks Security Information Management Solution-		
	CWSIM-3.1-SS-K9	Security Information Mgmt 3.2.1.02 starter kit for SOL; 30 d
	CWSIM-3.1-SL-K9	Security Information Mgmt 3.2.1.02 starter kit LINUX; 30 dev
	CWSIM-3.1-DS-K9	Addtl Oracle Std DB for SIM 3.x for SOL
	CWSIM-3.1-DL-K9	Addtl Oracle Enterprise DB for SIM 3.x LINUX
	CWSIM-3.1-EN-K9	Distributed Engine addon for SIM 3.2.1.02 for SOL/LINUX
	CWSIM-3.1-ADD20-K9	20 device addon for SIM 3.1 for SOL/LINUX
	CWSIM-3.1-20LND-K9	SIM 3.1 support for 20 low-end devices, svr. oper. systems
	CWSIM-3.1-100LNDK9	SIM 3.1 support for 100 low-end devices, svr. oper. systems
	CWSIM-3.1-500LNDK9	SIM 3.1 support for 500 low-end devices, svr. oper. systems
CiscoWorks VPN_Security Management Solution (VMS)		
	CWVMS-2.3-R-K9	VMS 2.3 WIN 20 Device Restricted
	CWVMS-2.3-UR-K9	VMS 2.3 WIN/SOL Unrestricted
	CWVMS-2.3-RUP-K9	VMS 1.x R Major Upgrade to WIN VMS 2.3 20 Device
	CWVMS-2.3-URUP-K9	VMS 2.X R Major Upgrade to WIN/SOL VMS 2.3 UnRestricted
Cisco Security Monitoring, Analysis & Response System-(MARS)		
	CS-MARS-20-K9	PN-MARS 20 1RU Appliance, 500 EPS, 120GB, HW/SW
	CS-MARS-50-K9	PN-MARS 50 1RU Appliance, 1,000 EPS, 240GB RAID0, HW/SW
	CS-MARS-100E-K9	CS-MARS 100E 3RU Appliance, 3,000 EPS, 750GB RAID10, HW/SW
	CS-MARS-100-K9	CS-MARS 100 3RU Appliance, 5,000 EPS, 750GB RAID10, HW/SW
	CS-MARS-200-K9	CS-MARS 200 4RU Appliance, 10,000 EPS, 1TB RAID10, HW/SW
Cisco VPN 3000 Series Products		
CVPN 3000 Series Products		
	CVPN3005-MEM-KIT=	VPN 3005 Concentrator 64 MB Memory Upgrade Kit
	CVPN3060E-RDBUN-K9	VPN3060:Chassis, 3FE, 4SEP-E, 5k user, client, SW, 2 US PWR
	CVPN3020E-RDBUN-K9	VPN3020:Chassis, 3FE, 2SEP-E, 750 user, client, SW, 2 US PWR
	CVPN3020E-NRBUN-K9	VPN3020:Chassis, 3FE, SEP-E, 750 user, client, SW, US PWR
CVPN 3000 Accessories		
	CVPN3000-PWR=	Cisco VPN 3000 Concentrator Power Supply
CVPN 3000 Concentrator		
	CVPN3002-BUN-K9	VPN3002 HWClient:Chassis, 2FE, SW, US PWR
	CVPN3002-8E-BUN-K9	VPN3002 HWClient:Chassis, 1FE+8FE Switch, SW, US PWR
	CVPN3005-E/FE-BUN	VPN3005:Chassis, 2FE, 200 user, client, SW, US PWR
	CVPN3015-NR-BUN	VPN3015:Chassis, 3FE, 100 user, client, SW, US PWR
	CVPN3015-NR	VPN3015:Chassis, 3FE, 100 user, client
	CVPN3030-NR-BUN	VPN3030:Chassis, 3FE, SEP, 1500 user, client, SW, US PWR
	CVPN3030-RED-BUN	VPN3030:Chassis, 3FE, 2SEP, 1500 user, client, SW, 2 US PWR
	CVPN3060-RED-BUN	VPN3060:Chassis, 3FE, 4SEP, 5k user, client, SW, 2 US PWR
CVPN 3000 Client Software-		
	CVPN-CLIENT-K9=	Cisco VPN Client Software (Price is for Media Only)
Internet & Security Products		
Cisco Content Engine		
	FIBER-CHNL-1PORT=	FIBER CHANNEL CARD, SPARE
CiscoSecure ACS		
	CSACSE-1113-K9	Cisco Secure ACS 4.0 Solution Engine 1113 Appliance
	CSACS-4.0-WIN-K9	Cisco Secure ACS 4.0 for Windows
	CSACS-4.0-WINUP-K9	Upgrade any ACS version to ACS 4.0 Windows
Cisco Secure IDS		
	IDS-4215-K9	Cisco IDS 4215 Sensor, 80-Mbps
	IDS-4215-4FE-K9	IDS 4215 Sensor, 80 Mbps with 4FE interface option
	WS-SVC-IDS2BUNK9=	IDS-2 600M mod spare
	WS-SVC-IDSMPLS-K9=	IDS-1 Migr for APAC
	IPS-4240-K9	IPS 4240 Appliance Sensor

	IPS-4255-K9	IPS 4255 Appliance Sensor
Cisco Security Agent		
	CSA-PROFILER-K9	Cisco Security Agent Profiler
	CSA-SRVR-K9=	Cisco Security Agent [1 Server Agent Bundle]
	CSA-STARTER-K9=	CSA Starter Bundle
	CSA-B10-SRVR-K9	Cisco Security Agent [10 Server Agent Bundle]
	CSA-B25-SRVR-K9	Cisco Security Agent [25 Server Agent Bundle]
	CSA-B50-SRVR-K9	Cisco Security Agent [50 Server Agent Bundle]
	CSA-B100-SRVR-K9	Cisco Security Agent [100 Server Agent Bundle]
	CSA-B25-DTOP-K9	Cisco Security Agent [25 Desktop Agent Bundle]
	CSA-B100-DTOP-K9	Cisco Security Agent [100 Desktop Agent Bundle]
	CSA-B250-DTOP-K9	Cisco Security Agent [250 Desktop Agent Bundle]
	CSA-B500-DTOP-K9	Cisco Security Agent [500 Desktop Agent Bundle]
	CSA-B1000-DTOP-K9	Cisco Security Agent [1,000 Desktop Agent Bundle]
	IDS4215-CSA-BUN-K9	Threat Prevention Starter Kit : 4215, CSA, CTR, VMS
Cisco Security Monitoring, Analysis & Response System-(MARS)		
	CS-MARS-20-K9	PN-MARS 20 1RU Appliance, 500 EPS, 120GB, HW/SW
	CS-MARS-50-K9	PN-MARS 50 1RU Appliance, 1,000 EPS, 240GB RAID0, HW/SW
Miscellaneous Cables and Accessories		
Miscellaneous Cables & Accessories		
	CAB-AC=	AC Power Cord, US
	CAB-232MT=	RS-232 Cable, DTE, Male, 10 Feet
	CAB-232FC=	RS-232 Cable, DCE, Female, 10 Feet
	CAB-X21MT=	X.21 Cable, DTE, Male, 10 Feet
	CAB-X21FC=	X.21 Cable, DCE, Female, 10 Feet
	CAB-V35MT=	V.35 Cable, DTE, Male, 10 Feet
	CAB-V35FC=	V.35 Cable, DCE, Female, 10 Feet
	CAB-449MT=	RS-449 Cable, DTE, Male, 10 Feet
	CAB-449FC=	RS-449 Cable, DCE, Female, 10 Feet
	CAB-530MT=	Male DTE RS-530 Cable, 10 foot
	CAB-7KCT1DB15=	MIP-CT1: DSX1 to CSU DB-15 Thru Cable
	CAB-OCT-X21-MT=	8 Lead Octal Cable and 8 Male X21 DTE Connectors
	CAB-OCT-X21-FC=	8 Lead Octal Cable and 8 Female X21 DCE Connectors
	CAB-OCTAL-KIT=	8 Lead Octal Cable and 8 Male DB-25 Modem Connectors
	CAB-OCTAL-MODEM=	OCTAL CABLE WITH MALE DB25 CONNECTORS
	CAB-E1-DB15=	E1 Cable DB15 120 ohm/Bal 5m
	CAB-E1-PRI=	E1 ISDN PRI CABLE, 10 FOOT
	CAB-E1-BNC=	FSIP and MIP-CE1: BNC 75ohm/Unbal 5 meters
	CAB-E1-TWINAX=	FSIP and MIP-CE1: TWINAX 120ohm/Bal 5m
	CAB-HNUL=	HSSI Cable, Male-to-Male Null Modem Cable, 10 Feet
	CAB-HS1=	HSSI Cable, Male-to-Male Connectors, 10 Feet
	CAB-5MODCM=	Cable Assemblies Spares
	CAB-500RJ=	RJ-45 to RJ-45 Cable, 14 Feet
	CAB-RPS-2218=	RPS 22/18 Load Cable
	CAB-RPSY-2218=	RPS 22/18 Two-to-one DC Power Cable
	PWR600-AC-RPS-CAB	600W Redundant AC Power System With DC Power Cables
	CAB-V35MC=	V.35 Cable, DCE, Male, 10 Feet
Cisco SB 100 Series		
Cisco SB 100 Series Products-		
	CISCOB101-K9	Cisco Small Business 101 Ethernet Broadband Router
	CISCOB107-K9	Cisco Small Business 107 ADSL Broadband Router
Cisco ASA 5500 Series Adaptive Security Appliances-		
Cisco ASA 5500 Series Firewall Edition Bundles		
	ASA5505-50-BUN-K9	ASA 5505 Appliance with SW, 50 Users, 8 ports, 3DES/AES
	ASA5505-UL-BUN-K9	ASA 5505 Appliance with SW, UL Users, 8 ports, 3DES/AES
	ASA5505-SEC-BUN-K9	ASA 5505 Sec Plus Appliance with SW, UL Users, HA, 3DES/AES

Cisco ASA 5500 Series VPN Edition Bundles		
	ASA5505-SSL10-K9	ASA 5505 VPN Edition w/ 10 SSL Users, 50 Firewall Users, 3DES/AES
	ASA5505-SSL25-K9	ASA 5505 VPN Edition w/ 25 SSL Users, 50 Firewall Users, 3DES/AES
Cisco ASA 5500 Series Option		
	ASA5505-SW-50-UL=	ASA 5505 50-to-Unlimited User upgrade software license
	ASA5505-SEC-PL=	ASA 5505 Sec. Plus Lic. w/ HA, DMZ, VLAN trunk, more conns.
	ASA5505-PWR-AC=	ASA 5505 spare AC power supply adapter
Cisco ASA 5510 Series Adaptive Security Appliances-		
	ASA5510-SEC-BUN-K9	ASA 5510 Security Plus Appliance with SW, HA, 5FE, 3DES/AES
	ASA5510-BUN-K9	ASA 5510 Appliance with SW, 3FE, 3DES/AES
	ASA5510-AIP10-K9	ASA 5510 Appliance with AIP-SSM-10, SW, 3FE, 3DES/AES
	ASA5510-K8	ASA 5510 Appliance with SW, 3FE, DES
	ASA5510-AIP-NFR-K9	ASA 5510 NFR Appl w/ AIP10, Sec Plus, SW, 3 FE, 3DES
	ASA5510-CSC10-K9	ASA 5510 Appl w/ CSC10, SW, 50 Usr AV/Spy, 1 YR Subscript
	ASA5510-CSC20-K9	ASA 5510 Appl w/ CSC20, SW, 500 Usr AV/Spy, 1 YR Subscript
	ASA5510-SSL50-K9	ASA 5510 VPN Edition w/ 50 SSL User License, 3DES/AES
	ASA5510-SSL100-K9	ASA 5510 VPN Edition w/ 100 SSL User License, 3DES/AES
	ASA5510-SSL250-K9	ASA 5510 VPN Edition w/ 250 SSL User License, 3DES/AES
	ASA5510-CSC-NFR-K9	ASA 5510 NFR Appl w/ CSC10,SW, 50 Usr AV/Spy, 1 YR Subscript
Cisco ASA 5520 Series Adaptive Security Appliances-		
	ASA5520-AIP20-K9	ASA 5520 Appliance w/ AIP-SSM-20, SW, HA, 4GE+1FE, 3DES/AES
	ASA5520-BUN-K9	ASA 5520 Appliance with SW, HA, 4GE+1FE, 3DES/AES
	ASA5520-AIP10-K9	ASA 5520 Appliance w/ AIP-SSM-10, SW, HA, 4GE+1FE, 3DES/AES
	ASA5520-K8	ASA 5520 Appliance with SW, HA, 4GE+1FE, DES
	ASA5520-AIP-NFR-K9	ASA 5520 NFR Appl w/ AIP-10, SW, HA, 4GE+1FE, 3DES
	ASA5520-CSC10-K9	ASA 5520 Appl w/ CSC10, SW, 50 Usr AV/Spy, 1 YR Subscript
	ASA5520-CSC20-K9	ASA 5520 Appl w/ CSC20, SW, 500 Usr AV/Spy, 1 YR Subscript
Cisco ASA 5540 Series Adaptive Security Appliances-		
	ASA5540-AIP20-K9	ASA 5540 Appliance w/ AIP-SSM-20, SW, HA, 4GE+1FE, 3DES/AES
	ASA5540-BUN-K9	ASA 5540 Appliance with SW, HA, 4GE+1FE, 3DES/AES
	ASA5540-K8	ASA 5540 Appliance with SW, HA, 4GE+1FE, DES
Cisco ASA 5500 Series Security Services Modules-		
	ASA-SSM-AIP-20-K9=	ASA 5500 AIP Security Services Module-20
	ASA-SSM-AIP-10-K9=	ASA 5500 AIP Security Services Module-10
	ASA-SSM-CSC-20-K9=	ASA Content Security SSM-20 w/ 500 Usr AV/Spy, 1YR Subscript
	ASA-SSM-CSC-10-K9=	ASA Content Security SSM-10 w/ 50 Usr AV/Spy, 1YR Subscript